



THOMAS E. FERGUSON
AUDITOR OF STATE
COLUMBUS, OHIO 43216

DEPUTY AUDITORS:

JAMES A. BOLDEN
Administration

RICHARD G. NUSS
CPA
Auditing Division

RUSSELL ROUCH
Management Advising
Service

CERTIFICATION

I, Thomas Aquinas Burke, Supervisor, Land Office of the Auditor of State, duly authorized to perform the duties of the Auditor of State prescribed in Section 115.21 of the Ohio Revised Code, hereby certifies that the enclosed field notes and plats are true copies taken from records in our office. These plats and field notes are for the following townships in the United States Military District:

1. Range 4, Townships 8, 9 and 10
2. Range 5, Townships 8, 9, and 10
3. Range 6, Townships 8, 9, and 10
4. Range 7, Townships 8, 9, and 10
5. Range 8, Townships 8 and 9
6. Range 9, Townships 8 and 9

and in the Ohio River Survey

1. Range 11, Townships 14 and 15
2. Range 12, Townships 14 and 15
3. Range 13, Townships 13 and 14
4. Range 14, Townships 17 and 18
5. Range 15, Townships 19 and 20

Witness my hand and seal of the Office of the Auditor of State, at Columbus, Ohio, this Twentieth-Nine day of November in the year of Our Lord Nineteen Hundred and Eighty-Three (1983).

Thomas Aquinas Burke
Supervisor
State Land Office



O R S
R T
13 13

Township No. 13, Range No. 13.

Chd. M.

Saturday, Nov. 1, 1806.

- South Between Secs. 1 & 2, T. 13, R. 13.
- 1.07 A Maple, 15 ins. diam.
- 410.00 Set $\frac{1}{4}$ Sec. Post, where a Cherry, 6 ins. diam. bears N. 78 E. 9 links; and a W. Oak, 10 ins. diam. bears S. 55 E. 30 links.
- Rough Oak land; Undergrowth, Dogwood.
- 444.82 A Lym, 8 ins. diam.
- 80.00 Set Sec. Post, corner to Secs. 1, 2, ^[11-12] 10, 11, where a Sugar, 14 ins. diam. bears N. 65 E. 24 links; and an Ironwood, 6 ins. diam. bears S. 68 E. 10 links. This $\frac{1}{2}$ mile rich low Bottom; Timber, Sugar, Beech, W. Oak, Maple; Undergrowth, Spice bush.

Monday, Nov. 3.

- South Between Secs. 2 & 3, R. 13, T. 13.
- 10.50 Cross Stream, 50 links, course W.
- 30.87 Elm, 24 ins. diam.
- 410.00 Set $\frac{1}{4}$ Post, where a R. Oak, 6 ins. diam. bears East 9 links; and a R. Oak, 5 ins. diam. bears N. 72 $\frac{1}{2}$ E. 14 links. This $\frac{1}{2}$ rich Bottom; Timber, Walnut, Cherry, &c.
- 58.91 W. Oak, 10 ins. diam.
- 80.00 Set Post, corner to Secs. 2, 3, 10, 11, where a R. Oak, 6 ins. diam. bears S. 13 E. 13 links; and a R. Oak, 5 ins. diam. bears N. 42 W. 23 links. Land this $\frac{1}{2}$ flat second Bottom, scrubby Timber, R. Oak, W. Oak, Thorn; Undergrowth, Hask.
- East On Rainbow between Secs. 2 & 11.
- 410.00 Set $\frac{1}{4}$ Sec. ^{As usual way.} Post. This $\frac{1}{2}$ thin soil; scrubby timber.
- 79.90 To N. & S. Line. Fell S. of corner of 1, 2, 11, 12 20 links. This $\frac{1}{2}$ rich Bottom.

Township No. 13, Range No. 13.

Chs. 11.

East On Randon between Secs. 1 & 12.
 40.00 Set $\frac{1}{4}$ Sec. Post temporary. This $\frac{1}{2}$ Bottom,
 part low and wet.
 58.34 Cross Stream, 8 links, course N. E.
 76.21 To Range Line. Fell N. of Post 15 links.
 This $\frac{1}{2}$ hilly Oak land.

Tuesday, Nov. 4, 1806.

West Corner between Secs. 1 & 12.
 38.10 $\frac{1}{2}$ Set $\frac{1}{4}$ Sec. Post at average distance, where a
 W. Oak, 20 ins. diam. bears N. 76 E. 27 links,
 a Lynn, 10 ins. diam. bears S. 10 W. 25 links.
 76.21 Corner of Secs. 1, 2, 11, 12.

South Between Secs. 11 & 12.
 5.50 Cross a handsome Stream, gravelly Bottom, 50
 links wide, course N.
 13.19 W. Oak, 10 ins. diam.
 40.00 Set $\frac{1}{4}$ Sec. Post, where a Dogwood, 6 ins. diam.
 bears S. 60 W. 8 links; a Do. 7 ins. diam. bears
 N. 60 $\frac{1}{2}$ E. 20 links. This $\frac{1}{2}$ good Oak land;
 Undergrowth, Dogwood.
 50.54 W. Oak, 20 ins. diam.
 80.00 Set Post, corner to Secs. 11, 12, 13, 14, where
 a Chestnut, 15 ins. diam. bears N. 75 W.
 30 links; a W. Oak, 12 ins. diam. bears
 S. 57 E. 17 links. This $\frac{1}{2}$ good Oak land; the
 undergrowth Spice wood.

East On Randon between Secs. 12 & 13.
 40.00. Set $\frac{1}{4}$ Sec. Post. Rich Oak land, mixed
 with Sugar, Hickory, Walnut, &c.
 40.58 Cross a Small Run, 4 links, North.
 75.93 To Range Line. Fell S. of Post 40 lbs. This rich level
 rich, handsomely situated for farming.

Township No. 13, Range No. 13.

Chs. No.	
West	Correct between Secs. 12 & 13.
37.96½	Moved ¼ Post to average distance, where a Sugar, 12 ins. diam. is corner.
75.93	Corner of Secs. 11, 12, 13, 14.
South	Between Secs. 13 & 14
15.17	W. Oak, 30 ins. diam.
40.00	Set ¼ Sec. Post, where a Beech, 15 ins. diam. bears N. 45 E. 28 links; a Lym, 20 ins. diam. bears S. 35 W. 8 links. Good land, rough.
76.00	To Boundary Line. Set Post, corner to Secs. 13 & 14, where a Beech, 12 ins. diam. bears N. 52 E. 27½ links; a W. Oak, 18 ins. diam. bears N. 20 W. 25 links. This ½ rough stony land.
West	Correct between Secs. 2 & 11.
39.95	Set ¼ Sec. Post at average distance, where a Cherry, 18 ins. diam. bears East 22 links; and a W. Oak, 20 ins. diam. bears West 30 links.
79.90	To Post, corner to Secs. 2, 3, 10, 11.
South	Between Secs. 3 & 4, T. 13, R. 13. 5 th Nov.
7.50	B. Walnut, 30 ins. diam.
14.00	Cross Stream, 50 links, course West.
40.00	Set ¼ Sec. Post, where a Beech, 18 ins. diam. bears S. 25 W. 26 links; and a Lym, bears N. 11 E. 14 links. This ½ bottom, low and wet; Sugar, W. Oak, Walnut Timber, &c.
80.00	Set Sec. Post, corner to Secs. 3, 4, 9, 11, where a Sugar tree, 20 ins. diam. bears S. 12 W. 50 links; and an Elm, 18 ins. diam. bears N. 26 W. 44 links. This ½ Swamp.

Township No. 13, Range No. 13.

Chs. Lks.	
	South Between Secs. 4 & 5.
5.63	W. Oak, 4 ins. diam.
40.00	Set $\frac{1}{4}$ Sec. Post, where a W. Oak, 6 ins. diam. bears S. 64 W. 38 links; and a W. Oak, 6 ins. diam. bears N. 68 E. 34 links. This $\frac{1}{2}$ thin soil; Timber, small W. Oak.
42.88	W. Oak, 30 ins. diam.
80.00	Set Post, corner to Secs. 4, 5, 8, 9, where a W. Oak, 36 ins. diam. bears N. 84 W. 18 links; and a Hickory, 10 ins. diam. bears N. 60 E. 1 link. Land as the last.
	East On Random between Secs. 4 & 9.
40.00	Set $\frac{1}{4}$ Sec. Post. Timber and land as the last.
72.50	Cross Stream, 150 links wide, slow current, muddy banks and bottom, course South.
80.05	To Post, corner of Secs. 3, 4, 9, 10. Fell 4 W. South.
	Thursday, 6 th Nov. 1806.
	East On Random between Secs. 3 & 10.
40.00	Set $\frac{1}{4}$ Sec. Post, temporary.
81.50	To N. & S. Line. Fell N. 22 links. This mile Swamp; 1 st $\frac{1}{2}$ swampy and thickly set C. Apples, Thorn, Jack Oak, &c.
	South Between Secs. 10 & 11.
11.73	Hickory, 5 ins. diam.
39.50	Cross Dry Run, 5 links, course West.
40.00	Set $\frac{1}{4}$ Sec. Post, where a Sycamore, 36 ins. diam. is corner tree.
80.00	Set Post, corner to Secs. 10, 11, 14, 15, where a W. Oak, 10 ins. diam. bears S. 92 E. 22 lks; and an Elm, 6 ins. diam. bears N. 55 $\frac{1}{2}$ W. 31 links. This mile good soil; Timber, W. Oak, mixed with Sugar, Walnut, &c.

Township No. 18, Range No. 13.

Chs. No.

- East On Random between Secs. 11 & 14.
 35.00 Cross Spring Branch, 4 links, course N.
 40.00 Set $\frac{1}{4}$ Sec. Post, temporary. This $\frac{1}{2}$ good Oak
 land, mixed with Sugar trees; Alder, growth,
 Dogwood.
 62.60 Cross Spring Branch, 5 links, course N.
 80.00 To N. & S. Line. Fell S. of Post 100 links, corner
 to Secs. 11, 12, 13, 14.
- West Corrected between Secs. 11 & 14.
 40.00 Move $\frac{1}{4}$ Sec. Post to average distance, where
 a Maple, 10 ins. diam. bears N. 42 E. 30
 links; and a W. Oak, 18 ins. diam. bears N.
 69 W. 26 links.
 80.00 To Post, corner to Secs. 10, 11, 14, 15.
- South Between Secs. 14 & 15.
 40.00 Set Post, where a Beech, 15 ins. diam. bears
 N. 70 E. 24 links; and an Elm, 10 ins. diam.
 bears S. 63 E. 37 links. This $\frac{1}{2}$ low wet bottom.
 43.00 Lym, 20 ins. diam.
 54.50 B. Walnut, 20 ins. diam. Offset to the West
 to avoid a small Lake.
 80.00 Set Post, corner to Secs. 14, 15, 22, 23, where
 an Elm, 25 ins. diam. bears N. 66 E. 30 links;
 and an Elm, 24 ins. diam. bears S. 61 W. 11
 links. This through low wet land; good bottom
 to the West.
- South Between Secs. 22 & 23.
 40.00 No Boundary Line to be found. Return to the
 corner of Secs. 14, 15, 10, 11 [22, 23].
- East

Township No. 13, Range No. 13.

Indian Boundary

Chs. Lt.

40.00 Set Dr. Post, where a Hickory, 12 ins. diam. bears S. 89 E. 15; and a Hickory bears S. 88 1/2 W. 15 links. This is over rough hilly land, good soil. No Boundary line to be found, but many old Indian marks.

West Correct between Secs. 3 & 10.

40.70 Move Dr. Sec. Post to average distance, where a W. Oak, 4 ins. diam. bears S. 81 E. 14 links; a W. Oak, 4 ins. diam. bears S. 87 1/2 W. 15 links.

81.50 To Post, corner to Secs. 3, 4, 9, 10.

Friday, November 7.

South Between Secs. 9 & 10.

6.75 Cross a Stream, 120 links, course E.

12.00 Cross a handsome Stream, 25 links, course E.

16.00 Sycamore, 40 ins. diam.

40.00 Set 1/4 Sec. Post, where a W. Oak, 5 ins. diam. bears N. 55 E. 17 links; a W. Oak, 5 ins. diam. bears S. 30 W. 18 links. This 1/2 low wet land.

80.00 Set Post, corner to Secs. 9, 10, 15, 16, where a R. Oak, 15 ins. diam. bears S. 82 W. 21 links; a R. Oak, 10 ins. diam. bears N. 50 W. 37 links. — This 1/2 part low wet Bottom, balance steep hills; the Timber, R. Oak.

East Rindow between Secs. 10 & 15.

40.00 Set 1/4 Sec. Post, in creek, 150 links wide, course S.

80.10 To Post, corner to Secs. 10, 11, 14, 15, S. 10 links.

West Correct between Secs. 10 & 15.

40.05 Set 1/4 Sec. Post at average distance in creek; an Elm on East bank of creek, 8 ins. diam. marked 1/4 S.

80.10 To corner of Secs. 10, 11, 14, 15.

Township No. 13, Range No. 13.

South	Between Secs. 15 & 16.
40.00	Set $\frac{1}{4}$ Sec. Post, where an Elm, 30 ins. diam. bears S. 77 E. 12 links; an Elm, 8 ins. diam. bears S. 3 W. 9 links. This $\frac{1}{2}$ hilly, good land; Timber, Oak, Elm, Sugar tree; part stony.
70.00	To a line bearing N. 88 E., supposed to be the Boundary Line. Set corner to Secs. 15 & 16, where a Dogwood, 10 ins. diam. bears S. 61 E. 10 links; a Chestnut, 24 ins. diam. bears N. 63 W. 11 links. This $\frac{1}{2}$ rough and stony.
South	Between Secs. 8 & 9.
40.00	W. Oak, 20 ins. diam. is corner. This $\frac{1}{2}$ flat, open W. Oak Woods.
77.50	Cross Stream, 25 links, thus: - $\$$
80.00	The Post, corner to Secs. 8, 9, 16, 17, in creek; a Crab Apple, 8 ins. diam. East. This $\frac{1}{2}$ part Bottom, balance open woods.
East	On Random between Secs. 9 & 16.
40.00	Set $\frac{1}{4}$ Post, temporary. This $\frac{1}{2}$ River Bottom and good Oak land.
80.10	To N. & S. Line, S. 15 W. of Corner of Secs. 9, 16, 15, 16. This good Oak land.
West	Correct between Secs. 9 & 16.
40.05	Move Dr. Sec. Post to average distance, where a W. Oak, 20 ins. diam. bears S. 62 W. 30 links; and a W. Oak, 20 ins. diam. bears East 42 links.
80.10	To Post, corner of Secs. 8, 9, 16, 17.
South	Between Secs. 16 & 17.
40.00	Dogwood, 4 ins. diam. is corner. This $\frac{1}{2}$ level, open W. Oak woods; M. dogwood, Dogwood.

From 13.50 S. of Boundary

Township No. 13, Range No. 13.

6th. 1/2

43.50 W. Oak, 15 ins. diam.
 66.00 To Boundary Line. Set Post, corner to Secs. 16 & 17, where a Dogwood, 4 ins. diam. bears N. 47 W. 21 links; and an Ash, 5 ins. diam. bears N. 61 E. 8 links. This 1/2 level W. Oak & Oak land, mixed with Sugar tree.

South Between Secs. 5 & 6.

2.43 W. Oak, 24 ins. diam.
 40.00 Set 1/4 Post, where a Hickory, 10 ins. diam. bears N. 11 E. 12 links; a Dogwood, 4 ins. diam. bears N. 66 W. 20 links. This level, open B. Oak and W. Oak wood; good land.
 43.29 W. Oak, 20 ins. diam.
 46.50 Cross small Branch, thus: — } S. 6
 76.00 Cross small Branch, 5 lbs., 6. }
 80.00 Set Post, corner to Secs. 5, 6, 7, 8, where an Ironwood, 5 ins. diam. bears N. 61 W. 18 links; and a Do. bears N. 89 E. 19 links. This 1/2 much as the last.

Saturday, November 8, 1806.

East On Railroad between Secs. 5 & 8.

36.50 Cross Stream, 15 links, course East.
 40.00 Set 1/4 Sec. Post, temporary.
 80.00 To N. & S. Line, S. 24 links. This much as the last.

West Correct between Secs. 5 & 8.

40.00 Move 1/4 Sec. Post to average distance, where a Black Haw, 4 ins. diam. bears N. 7 E. 6 lbs.; and an Ironwood, 4 ins. diam. bears N. 66 1/2 E. 8 links.
 80.00 To Post, corner of Secs. 5, 6, 7, 8.

Township No. 13, Range No. 13.

6 to 10. 2 1/2.

- West To Range Line between Secs. 6 & 7.
 7.25 Cross Stream, 8 links, thus:— \nearrow S. E.
 7.42 Ash, 15 ins. diam.
 32.05 W. Oak, 30 ins. diam.
 40.00 Set $\frac{1}{4}$ Sec. Post, where a Dogwood, 4 ins. diam. bears N. 42 E. 23 links; a W. Oak, 10 ins. diam. bears S. 45 W. 13 links. This $\frac{1}{2}$ level, open W. Oak and W. Oak woods; good soil.
 50.68 Cross Spring Branch, 3 links.
 80.00 No Range Line.
 90.00 No Range Line to be found.

Return North to Town [line]—thence West to Town corner, where the Town corner terminated, and no Range Line run, neither North or South. Saturday, Nov. 9, 1806.

July 18th, 1807.

- South Between Secs. 7 & 8. Variation 3°00'.
 40.00 Dr. Post, where a W. Oak, 11 ins. diam. bears N. 22 W. 29 links; and a Hickory, 24 ins. diam. bears S. 51 E. 37 links.
 59.28 R. Oak, 24 ins. diam.
 80.00 Post, where a W. Oak, 24 ins. diam. bears N. 18 W. 37 links; and an Ironwood, 5 ins. diam. bears S. 56 E. 22 links. Sand rolling, thin soil; Timber, W. & R. Oak, &c.; Ironwood, Dogwood, &c.; open woods; some stony.
 West To Range Line between Secs. 7 & 18. Var. 3°.
 3.25 W. Oak, 30 ins. diam.
 35.42 W. Oak, 24 ins. diam.
 40.00 Dr. Post, where a W. Oak, 18 ins. diam. bears

Township No. 13, Range No. 13.

Chs. Ms.

- N. 88 E. 43 links; and a R. Oak, 36 ins. diam.,
bears S. 74 1/2 W. 21 links.
- 43.22 W. Oak, 18 ins. diam.
- 57.80 Cross Run, S. E., 6 links.
- 72.75 Hickory, 18 ins. diam.
- 101.10 To Range Line. Fell S. of Post established
by me on Range Line, 143 links; where a
W. Oak, 18 ins. diam. bears S. 65 E. 37 links; a
Do. 16 ins. diam. bears West 36 links. Land,
Timber, &c., much as last mile.
- South Between Secs. 17 & 18. Var. 3° 00'
- 17.54 R. Oak, 20 ins. diam.
- 40.00 Dr. Post, where a W. Oak, 20 ins. diam. bears
N. 9 W. 13 links; and a Do. 9 ins. diam. bears S. 6
W. 24 links.
- 60.12 Cross Run, E. 50 links.
- 66.18 To Indian Boundary Line, where a W. Oak, 16
ins. diam. bears N. 31 E. 17 links; and a Sugar
tree, 18 ins. diam. bears S. 42 W. 33 links.
Land, 1st 1/2 as last, Timber, &c.; 2^d part rich
Bottom; Timber, Sugar, Elm, Lym, Oak, &c.
- East Random between Secs. 8 & 17. Var. 3° 00'
- 40.00 Temporary Dr. Post.
- 60.00 To Rich Bottom.
- 79.00 To Run, N. E., 50 links.
- 79.75 To N. & S. Line. Fell 12 links N. of Post. Land
1st 1/2 good upland; Timber, Oak, Hickory, &c.
2^d 1/2 part Bottom.
- West Correct between Secs. 8 & 17.
Above Dr. Post to average distance, where a
Maple, 16 ins. diam. bears N. 41 E. 33 links.

Township No. 13, Range No. 13.

- 6 hrs. 2 hrs.
- and a Hickory, 10 ins. diam. bears S. 34 W. 12 links.
- 79.75 To Post.
- S. 78° 50' W. Beginning at S. E. corner of Town 13, Range 13, and run on Boundary Line, S. 78° 50' West, with Variation 1° 00'.
- 23.67 Cross Run, N. 4 links. Ridge thin Oak land.
- 75.87 To North and South Line crossing Boundary, where a Beech, 16 ins. diam. bears N. 79 E. 28 links; and a Do. 18 ins. diam. bears N. 10 W. 38 links.
- South Measure the Line S. between Secs. 13 & 14.
19.38
- S. 78° 50' W. Boundary continued.
- 80.46 To where N. & S. Line crosses Boundary Line; where a Maple, 20 ins. diam. bears N. 15 E. 7 links; and a Hickory, 16 ins. diam. bears S. 34 W. 22 links.
- South Measure Line S. between Secs. 14 & 15, to Ind. Line.
30.94 Indian Line.
- S. 78° 50' W. Indian Line continued.
- 8.50 Bayou, 30 links.
- 27.75 Cross Killbuck, 160 links across.
- 34.15 Cross Bottom, to hill. Filly thin soil.
- 80.15 To N. & S. Line, where an Elm, 10 ins. diam. bears S. 78 W. 27 links, and a W. Oak, 40 ins. diam. bears N. 75 E. 30 links.

Township No. 13, Range No. 13.

660. 210.

South Measure between Secs. 15 & 16, S.
48.50 To Indian Line.

S. 78° 50' W. Continue, S. side Sec. 16.

26.00 Cross Drain N. 4 links. Poor hilly Oak land.

40.50 Cross Do. N. 4 links. Do. Do.

80.20 Cross Do. N. 8 links.

81.46 To N. & S. Line, across Boundary, where a W. Oak,
18 ins. diam. bears N. 6 1/2 W. 24 links; and a
Maple, 18 ins. diam. bears S. 28 W. 19 links.

South Measure between Secs. 16 & 17.

55.64 To Indian Line.

S. 78° 50' W. Measure on Boundary continued.

33.00 Cross Drain, N. 3 links.

48.00 Cross Do. N. Noble Oak land.

48.50 Cross Do. N. 4 links.

65.10 Cross Do. N.

72.25 To Tree, Marked ¹¹²/₂₈.

81.35 To corner on Boundary line established by me.

S. 78° 50' W. Measure S. side Sec. 18—continued.

10.50 Cross creek, 50 links, N. 50 E.—fine stream.

17.40 Cross Run, S. E., 8 links.

18.00 Cross Do. N. E.

19.00 Cross Do.

40.50 To corner of Military Township 9, R. 7 & 8.

72.15 To Mile Tree, marked ¹¹¹/₂₉

90.20 To Post set by Military Surveyors, marked
on West side S.

104.00 To corner on Range Line.

Surveyed by Wm. Henry & J. H. Lowell.