



THOMAS E. FERGUSON
 AUDITOR OF STATE
 COLUMBUS, OHIO 43216

DEPUTY AUDITORS:

JAMES A. BOLDEN
 Administration

RICHARD G. NUSS
 CPA
 Auditing Division

RUSSELL ROUCH
 Management Advising
 Service

CERTIFICATION

I, Thomas Aquinas Burke, Supervisor, Land Office of the Auditor of State, duly authorized to perform the duties of the Auditor of State prescribed in Section 115.21 of the Ohio Revised Code, hereby certifies that the enclosed field notes and plats are true copies taken from records in our office. These plats and field notes are for the following townships in the United States Military District:


1. Range 4, Townships 8, 9 and 10
2. Range 5, Townships 8, 9, and 10
3. Range 6, Townships 8, 9, and 10
4. Range 7, Townships 8, 9, and 10
5. Range 8, Townships 8 and 9
6. Range 9, Townships 8 and 9

and in the Ohio River Survey

1. Range 11, Townships 14 and 15
2. Range 12, Townships 14 and 15
3. Range 13, Townships 13 and 14
4. Range 14, Townships 17 and 18
5. Range 15, Townships 19 and 20

Witness my hand and seal of the Office of the Auditor of State, at Columbus, Ohio, this Twentieth-Nine day of November in the year of Our Lord Nineteen Hundred and Eighty-Three (1983).

Thomas Aquinas Burke
 Supervisor
 State Land Office



Township 8, Range 4, U. S. Military District, O. 21

ch² 11A

Tuesday, October 20, 1803.

North, on First Mile, East Boundary, East side of Section 21.

1.00 Set a post (in an old line) for the corner of Township 8 in the Third Range (1.75 links East of an old corner) from which a W. Oak 18 ins. diam. bears N 83 E, 19 links distant, and a B. Oak 20 ins. diam. bears S 57 N, 30 links distant.

23.00 A B. Oak 18 ins. diam.

38.75 A W. Oak 20 ins. diam.

56.78 A W. Oak 14 ins. diam.

71.50 A Brook 10 links wide - Course N. W.

80.00 Set a post, corner of Sections 20 and 21.

First half, poor Oak land. The remainder, good land - Timber, Oak, Hickory &c

North, between Sections 21 and 22.

,50 A brook 15 links wide - Course N. E.

15.85 A Hickory, 15 ins. diam.

28.69 A B. Oak 16 ins. diam.

52.00 A brook 6 links wide - Course East.

69.90 A W. Oak 18 ins. diam.

77.00 A brook 3 links wide - Course S. E.

80.00 Set Temporary Section post.

Generally good level Oak land.

West, on Second Mile, South Boundary, South side of Sec. 22.

2.00 A brook 15 links wide - Course N. E.

25.66 A W. Oak 24 ins. diam.

32.50 A brook 2 links wide - Course South.

40.00 Set post corner of half Sections 43 and 44 of Town 8 and half Sections 3 and 4 of Town 7, Range 4, from which a B. Oak 4 ins. diam. bears N 75 E, 19 links distant, and a B. Oak 8 ins. diam. bears N 87 N, 113 links distant.

Generally good meadow land. Timber, Oak, Hickory, Ash &c.

Ch. lks

- 56.80 A W. Oak 15 ins. diamt.
 65.50 A brook 4 links wide - course South.
 69.75 A W. Oak 14 ins. diamt.
 80.00 Set post corner of Sections 2 and 3, T. 7, and Sections 22, and 23, T. 8, R. 4, from which a W. Oak 16 ins. diamt. bears N 62 E, 25 links distant, and a W. Oak 14 ins. diamt. bears S 84 W, 31 lks. distant.
 Uneven, poor W. Oak land.
-
- North, between Sections 22 and 23.
 25.00 A brook 2 links wide - course S. E.
 25.62 A W. Oak 30 ins. diamt.
 53.22 A W. Oak 18 ins. diamt.
 55.00 A Spring 2 links wide - Course East.
 70.50 A brook 3 links wide - Course S. E.
 80.00 Set Temporary Section post.
 Poor, hilly, brushy Oak land.
-
- West, on Third Mile, South Boundary, South side of Sec. 23.
 7.00 A brook 3 links wide - course S. E.
 11.80 A W. Oak 30 ins. diamt.
 35.10 A W. Oak 14 ins. diamt.
 40.00 Set post corner of half Sections 45 and 46, T. 8, and half Sections 5 and 6, T. 7, R. 4, from which a W. Oak 12 ins. diamt. bears N 55 E, 5 links distant, and a W. Oak 30 ins. diamt. bears S 40 W, 37 links distant.
 Hilly, poor, brushy Oak land.
 42.70 Old corner.
 45.00 A Spring 2 links wide - course North.
 68.50 A Spring 2 links wide - course North
 73.50 A Chestnut 30 ins. diamt.
 80.00 Set post corner of Sections 23 and 24, T. 8, and 3 and 4, T. 7, from which a W. Oak 18 ins. diamt. bears S 67 W, 24 lks. distant, and a W. Oak 15 ins. diamt. bears N 79 E, 36 links distant.
 Hilly, poor brushy land - timber, Oak, Chestnut &c

ch. lbs.

North, between Sections 23 and 24.

10.00 A brook 6 links wide - Course N. E.

23.92 A Double W. Oak ins. diam.

27.00 A brook 2 links wide - Course S. E.

76.00 A R. Oak 30 ins. diam.

80.00 Set Temporary Section post.
Generally good Oak land.

West, on Fourth Mile, South Boundary, S. side of Section 24.

11.00 A brook 6 links wide - Course N. E.

23.14 A W. Oak 18 ins. diam.

40.00 Set post corner of half Sections 47 and 48, T. 8, and
half Sections 7 and 8, T. 7. R. 4, from which a Gum 10
ins. diam., bears N 82 E, 1.12 links distant. No
other timber near.

Poor barren land. Some Oak timber.

40.00 A Maple 12 ins. diam.

61.00 A Spring 2 links wide - Course North.

80.00 Set post corner of Sections 24 and 25, from which a
W. Oak 14 ins. diam., bears S 12 W. 17 links distant, and
a W. Oak 14 ins. diam., bears N 2 E. 26 links distant.

Poor, barren hills.

Friday, October 21. 1803.

North, between Sections 24 and 25.

25.05 A R. Oak 12 ins. diam.

39.78 A Hickory 8 ins. diam.

50.86 A W. Oak 18 ins. diam.

57.50 A brook 6 links wide - Course N. W.

80.00 Set Temporary Section post.

Generally good land - Timber, Oak, Hickory, &c.

West, on Fifth Mile, South Boundary, S. side of Section 25.

,50 corner of Sections 4 and 5, T. 7. R. 4.

1.01 A W. Oak 40 ins. diam.

26.10 A W. Oak 36 ins. diam.

Ch. Lot

- 38.55 A W. Oak 16 ins. diamt.
- 40.00 Set post corner of half Sections 49 and 50, T. 8, from which a W. Oak 30 ins. diamt. bears N 46 W, 5 lks. dist, and a W. Oak 14 ins. diamt. bears S 77 E. 35 lks. dist.
Good level W. Oak land.
- 40.50 Set post corner of half Sections 9 and 10, T. 7, R. 4, from which a W. Oak 10 ins. diamt. bears N 61 W, 8 lks. distant, and a W. Oak 14 ins. diamt. bears S 61 E, 17 links distant.
- 46.50 A brook 10 links wide - Course N. E.
- 53.50 An Aspen ins. diamt.
- 74.78 A W. Oak 18 ins. diamt.
- 84.75 Set post at the S. W. corner of the Township, from which a Hickory 9 ins. diamt. bears N 73 E, 24 lks. dist, and a R. Oak 24 ins. diamt. bears S 73 W, 79 lks. dist.
Generally thin White Oak land.

North, on First Mile, West Boundary, West side of Sec. 25.

- 11.95 A W. Oak 30 ins. diamt.
- 15.00 A brook 4 links wide - Course East.
- 19.10 A W. Oak 15 ins. diamt.
- 37.90 A W. Oak 14 ins. diamt.
- 51.50 A R. Oak 16 ins. diamt.
- 65.00 A brook 5 links wide - Course East.
- 69.00 A W. Oak 18 ins. diamt.
- 80.00 Set post corner of Sections 16 and 25, from which a Hickory 12 ins. diamt. bears S 15 W, 12 links distant, and a W. Oak 10 ins. diamt. bears N 7 E, 27 lks. distant.
Level land. Thin soil. Timber, Oak, Hickory, Thorn, etc.

East, on random line, between Sections 16 and 25.

- 84.50 Fell 20 links North of the post.

East, on random line, between Sections 17 and 24.

- 80.50 Fell 15 links North of the post, corner of Sections 17, 18, 23, 24.

Chs. Lks.

East, on random line, between Sections 18 and 23.

79.75 Fell 8 links North of the post.

East, on random line, between Sections 19 and 22.

80.25 Fell 8 links South of the post.

East, between Sections 20 and 21, on random line.

79.75 Fell 25 links North of the post. Marked the corner of Sections 20 and 21, and set post from which a W. Oak 18 ins. diamt. bears S 61 W, 7 links distant, and a W. Oak 15 ins. diamt. bears N 61 E, 41 links distant.

North, on Second Mile, East Boundary, East side of Section 20.

6.39 A Double Maple ins. diamt.

31.70 A Chestnut 40 ins. diamt.

40.19 A W. Oak 24 ins. diamt.

59.67 A Maple 18 ins. diamt.

60.50 A brook 10 links wide - course West.

71.34 A R. Oak 24 ins. diamt.

80.00 Set post corner of Sections 11 and 20, from which a W. Oak 24 ins. diamt. bears N 42 E, 32 links distant, and a W. Oak 12 ins. diamt. bears S 31 W, 41 links distant.

Good meadow and upland. Timbered with Oak, Hickory, Ash, Maple &c.

North, on Third Mile, East Boundary, East side of Section 11.

21.50 A R. Oak 18 ins. diamt.

36.50 A brook 5 links wide - course West.

42.00 A Double W. Oak ins. diamt.

43.25 Quarter Township corner.

55.21 A W. Oak 16 ins. diamt.

71.53 A W. Oak 16 ins. diamt.

80.00 Set post corner of Sections 10 and 11, from which a R. Oak 30 ins. diamt. bears N 58 E, 23 links distant, and a W. Oak 14 ins. diamt. bears S 8 W, 34 links distant.

Good meadow and upland - timber. Oak, Hickory &c.

ch^l Sk^l

Saturday, October 22. 1803.

West, between Sections 20 and 21, on true line.

25.50 A Maple 12 ins. diam^t.

30.50 A brook 10 links wide - Course North.

38.50 A Creek 30 links wide - Course North.

39.87 Four Lynns, corner to half Sections 39, 40, 41, 42, from which an Elm 36 ins. diam^t, bears N 60 W. 32 links distant, and a W. Oak 18 ins. diam^t, bears N 80 E. 66 links distant.

Good meadow land. Timber, Oak, Hickory, Elm.

49.00 A Cherry 8 ins. diam^t.62.00 A W. Oak, 18 ins. diam^t.79.75 Set post corner of Sections 19, 20, 21, 22, from which a W. Oak 30 ins. diam^t, bears N 12 E. 14 links distant, and a W. Oak 18 ins. diam^t, bears S 47 W. 45 links distant.

Part hill and part bottom land. Timber, Oak, Hickory &c.

North, between Sections 19 and 20.

16.13 A W. Oak 15 ins. diam^t.

19.00 A brook 2 links wide - Course East.

42.50 A brook 2 links wide - Course East.

43.80 A W. Oak 16 ins. diam^t.

59.50 A brook 4 links wide - Course East.

60.50 A Hickory 10 ins. diam^t.

80.00 Set Temporary Section post.

Uneven land. Good soil - Timber, Oak, Hickory &c.

West, between Sections 19 and 22, on true line.

5.00 A Spring 2 links wide - Course S. E.

19.25 A W. Oak 12 ins. diam^t.

39.50 A brook 3 links wide - Course South.

40.12 Set post corner of half Sections 37, 38, 43, 44, from which a Hickory 12 ins. diam^t, bears S 39 W. 13 links distant, and a W. Oak 15 ins. diam^t, bears N 17 W. 38 links distant.

Hilly, poor Oak-land.

ch. 1st

- 50.25 A Hickory 12 ins. diam.
 64.00 A Spring 2 links wide - Course South.
 80.25 Set post corner of Sections 18, 19, 22, 23. from which a
 W. Oak 12 ins. diam., bears S 30 E, 22 links distant, and
 a W. Oak 18 ins. diam., bears N 34 W, 34 links distant.
 Hilly, poor Oak land.

North, between Sections 18 and 19.

- 19.65 A hickory 36 ins. diam.
 44.24 A W. Oak 20 ins. diam.
 76.50 A brook 8 links wide - Course N. E.
 80.00 Set Temporary Section post, corner of Sect. 12, 13, 18, 19.
 Poor, brushy ridges - Linber, Oak, hickory &c.

West, between Sections 18 and 23, on true line.

- 17.40 A W. Oak 15 ins. diam.
 30.00 A Spring 2 links wide - Course N. W.
 39.87 Set post corner of half Sections 35, 36, 45, 46, from which
 a W. Oak 12 ins. diam. bears N 47 E, 10 links distant, and
 a W. Oak 16 ins. diam. bears S 82 W, 24 links distant.
 43.50 A brook 10 links wide - Course North.
 61.00 A W. Oak 16 ins. diam.
 79.00 A Spring 2 links wide - Course North.
 79.75 Set post corner of Sections 17, 18, 23, 24, from which a
 Chestnut 36 ins. diam., bears South, 9 links distant, and a
 Hickory 21 ins. diam., bears North, 37 lks. distant.
 Hilly, poor Oak land.

North, between Sections 17 and 18.

- 4.00 A brook 2 links wide - Course N. W.
 12.00 A W. Oak 15 ins. diam.
 39.10 A W. Oak 18 ins. diam.
 52.00 A brook 4 links wide - Course N. W.
 69.50 A W. Oak 48 ins. diam.
 80.00 Set Temporary Section post.
 Generally good Oak land.

Ch. Lk.

- West, between Sections 17 and 24, on true line.
- 26.80 A W. Oak 16 ins. diamt.
- 29.50 A brook 3 links wide - Course North.
- 40.25 Set post corner of half Sections 33, 34, 47, 48, from which a W. Oak 18 ins. diamt. bears N 77 E, 50 links dist., and a W. Oak 30 ins. diamt. bears S 77 W, 98 lks. distant.
- 59.50 A W. Oak 18 ins. diamt.
- 61.50 A brook 2 links wide - Course North.
- 80.50 Set post corner of Sections 16, 17, 24, 25, from which a Chestnut 30 ins. diamt. bears N 41 E, 35 lks. distant, and a W. Oak 36 ins. diamt. bears S 7 E, 56 links distant.
- Hilly land; good soil; timber, Oak, Hickory &c.

- West, between Sections 16 and 25, on true line.
- 24.00 A brook 5 links wide - Course North.
- 25.10 An Aspen 14 ins. diamt.
- 28.50 A brook 10 links wide - Course N. E.
- 40.00 Set post corner of half Sections 31, 32, 49, 50, from which a Dogwood 5 ins. diamt. bears N 31 W, 4 links distant, and a W. Oak 16 ins. diamt. bears S 56 W, 61 links distant.
- Good bottom land. Timber, Oak, Hickory, Thorn &c.
- 52.50 A W. Oak 16 ins. diamt.
- 71.60 A W. Oak 12 ins. diamt.
- 84.50 To the corner of Sections 16 and 25 ^E level, thin W. Oak land.

Monday, October 24, 1803.

- North, between Sections 16 and 17.
- 16.45 A W. Oak 10 ins. diamt.
- 34.00 To a new road.
- 35.08 A Hickory 10 ins. diamt.
- 37.00 A looped brook links wide.
- 42.00 A looped brook.
- 44.00 A brook 15 links wide - Course N. E.
- 50.00 A brook 25 links wide - Course East.
- 80.00 Set Temporary Section post.
- The greater part of this mile, bottom land - Timber,

6th 1803

Oak, Hickory, Elm, Ash, Horn &c.

East, on random line between Sections 14 and 17.

80.00 Fell 15 links North of the post.

East, on random line, between Sections 13 and 18.

80.00 Fell 10 links North of the corner.

East, on random line, between Sections 12 and 19.

80.00 Fell 20 links North of post.

East, on random line, between Sections 11 and 20.

80.25 Fell 15 links North of the corner.

Tuesday, November 15th, 1803.

West, connected, between Sections 11 and 20.

13.38 An Elm 12 ins. diam.

24.50 A Creek 30 links wide - Course North.

40.12 Set post corner of half Sections 21, 22, 39, 40, from which a W. Oak 15 ins. diam., bears S 5 E, 21 links distant, and a W. Oak 15 ins. diam., bears N 28 W, 32 lks. distant.

Good meadow land. Timber, Oak, Ash, Hickory &c.

59.05 A W. Oak 15 ins. diam.

70.20 A W. Oak 16 ins. diam.

80.25 Set post corner of Sections 11, 12, 19, 20, from which a Hickory 15 ins. diam., bears N 22 W, 31 lks. distant, and a Chestnut 15 ins. diam., bears S 31 E, 26 links distant.

Good level Oak land.

West, connected, between Sections 12 and 19.

16.17 A W. Oak 15 ins. diam.

39.50 A brook 2 links wide - course N. W.

40.00 Set post corner of half Sections 23, 24, 37, 38, from which an Ironwood, 6 ins. diam., bears S 15 W, 12 links distant, and an Ash 16 ins. diam., bears N 26 E, 21 links distant.

Good level white Oak land.

ch. Lk.

- 53.00 A W. Oak 15 ins. diamt.
 62.50 A brook 2 links wide - course North.
 70.00 A brook 8 links wide - course N. E.
 80.00 Set post corner of Sections 12, 13, 18, 19, from which a
 W. Oak 12 ins. diamt. bears N 72 E, 5 links distant, and
 a Cherry 5 ins. diamt. bears N 82 W, 38 links distant.
 Land level - Part bottom - Timber, Oak, Hickory &c.

North, between Sections 11 and 12.

- 16.23 A W. Oak 18 ins. diamt.
 32.70 A Hickory 12 ins. diamt.
 44.50 A brook 10 links wide - course East.
 50.46 A Sugar 8 ins. diamt.
 80.00 Set Temporary Section post.
 Level land - Timber, Oak, Hickory &c.

East, on random line, between Sections 10 and 11.

- 80.25 Hit the corner of Sections 6 and 15, S. 8. R. 3.

West, between Sections 10 and 11, on true line.

- 13.75 An Elm 10 ins. diamt.
 25.00 A brook 30 links wide - course North.
 40.12 Set post corner of Half Sections 19, 20, 21, 22, from which
 a Lymon 24 ins. diamt. bears S 58 E, 18 links distant, and a
 B. Oak 24 ins. diamt. bears N 54 W, 22 links distant.
 Wet bottom land - Timber, Oak, Elm, Ash &c.
 65.00 A brook 2 links wide - course South.
 66.05 A Hickory 12 ins. diamt.
 80.25 Set post corner of Sections 9, 10, 11, 12, from which, a
 W. Oak 36 ins. diamt. bears N 51 W, 8 links distant, and a
 Hickory 8 ins. diamt. bears S 51 E, 20 links distant.
 Good Oak land.

North, between Sections 9 and 10.

- 8.65 A W. Oak 24 ins. diamt.
 26.00 To a new road.

chs 11th

40.50 A brook 2 links wide - course West.

48.75 A W. Oak 16 ins. diam.

59.50 An Ash. 36 ins. diam.

63.00 A brook 2 links wide - course S. W.

80.00 Set Temporary Section post.

Good level land - Timber, Oak, Hickory, Ash &c.

North, between Sections 12 and 13.

12.40 A R. Oak 14 ins. diam.

47.75 A W. Oak 12 ins. diam.

55.00 A new road.

59.00 A brook 40 links wide - course N. E.

66.00 An Elm 12 ins. diam.

80.00 Set Temporary Section post.

Part good Oak land, and part bottom. Timber, Ash, Elm &c.

East, on random line, between Sections 9 and 12.

80.25 Sell

West, connected, between Sections 9 and 12.

11.97 A W. Oak 14 ins. diam.

15.00 A brook 3 links wide - course South.

40.12 Set post corner of half Sections 17, 18, 23, 24, from which a Walnut 8 ins. diam. bears N 77 E. 14 links distant, and a W. Oak 30 ins. diam. bears S 68 W. 58 links distant.

Good Oak land.

48.60 A W. Oak 18 ins. diam.

72.00 A brook 40 links wide - course North.

80.25 Set post corner of Sections 8, 9, 12, 13, from which a W. Oak 16 ins. diam. bears N 64 E. 23 links distant, and an Ash 10 ins. diam. bears S 77 W. 33 links distant.

One half, good bottom land - Timber, Sugar, Ash &c.
The remainder, good Oak land.

Wednesday, November 16, 1823.

Ch. 2A.

North, between Sections 8 and 9.

30.00 An Elm 15 ins. diam.

40.00 A brook 15 links wide - Course East.

41.15 An Elm 16 ins. diam.

42.00 A brook 15 links wide - Course West.

46.50 A brook 15 links wide - Course East.

69.00 A brook 3 links wide - Course East.

71.65 A B. Oak 18 ins. diam.

80.00 Set Temporary Section Posts

Fresh Bottom land, Sycamore, Ash, Elm, Oak etc.

West, connected, between Sections 13 and 18.

9.64 A Hickory 6 ins. diam.

29.44 A W. Oak 16 ins. diam.

40.00 Set post corner of half Sections 25, 26, 35, 36. from which a W. Oak 16 ins. diam. bears S 50 W, 6 links distant, and a W. Oak 12 ins. diam. bears N 55 E, 18 links distant.

Four Oak land.

54.20 A W. Oak 16 ins. diam.

65.20 A W. Oak 16 ins. diam.

78.00 A new road.

79.50 A brook 2 links wide - Course N. W.

80.00 Set post corner of Sections 13, 14, 17, 18, from which a Maple 7 ins. diam. bears West, 22 links distant, and a W. Oak 12 ins. diam. bears East, 47 links distant.

Generally good Oak land.

North, between Sections 13 and 14.

6.00 A brook 50 links wide - Course N. E.

34.50 A Maple 8 ins. diam.

55.00 A brook 14 links wide - Course East.

72.60 A Maple 14 ins. diam.

80.00 To a Hickory ins. diam., Temporary Corner.

The first part of this mile is Alder Swamp - The remainder, good Oak land.

Ch^s 114

East, on random line, between Sections 8 and 13.
80.00 Fell 10 links South of the corner.

West, between Sections 8 and 13, on true line.
18.65 A Hickory 12 ins. diamt.
40.00 Set post corner of half Sections 15, 16, 25, 26, from which a
W. Oak 18 ins. diamt. bears N 80 E, 8 links distant, and a
W. Oak 30 ins. diamt. bears S 33 W, 21 links distant.
Level land. Oak, Hickory &c, Timber.
43.00 A brook 3 links wide - Course S. E.
47.93 A Hickory 8 ins. diamt.
72.55 A W. Oak 30 ins. diamt.
80.00 A Hickory 8 ins. diamt. Corner of Sections 7, 8, 13, 14, from
which a Hickory 10 ins. diamt. bears N 46 W, 15 links dist,
and a Hickory 8 ins. diamt. bears S 84 E, 16 links distant.
Good Oak land.

North, between Sections 7 and 8
12.85 A W. Oak 14 ins. diamt.
31.64 A W. Oak 16 ins. diamt.
46.00 A brook 3 links wide - Course East.
72.00 A brook 10 links wide - Course East.
73.50 A brook 3 links wide - Course East.
80.00 Set Temporary Section posts.
Hilly, poor Oak land.

West, between Sections 14 and 17.
2.46 A W. Oak 36 ins. diamt.
29.50 A brook 50 links wide - Course N. E.
40.00 Set post corner of half Sections 27, 28, 33, 34, from
which an Elm 12 ins. diamt. bears N 86 W, 29 links dist,
and a W. Oak 15 ins. diamt. bears S 72 E, 39 links dist.
One half of this is an Alder Swamp - The remainder
is Bottom land - Timber, Oak, Ash &c.
53.40 A W. Oak 15 ins. diamt.
63.50 A brook 4 links wide - Course S. E.

Ch^s Lk^s

80.00 Set post corner of Sections 14, 15, 16, 17, from which
a W. Oak 16 ins. diamt. bears S 63 E, 29 links distant,
and a W. Oak 24 ins. diamt. bears N 52 W, 41 lks. distant.
Good bottom land. Timber, Oak, Hickory, Ash &c.

North, between Sections 14 and 15.

13.00 A brook 6 links wide - course East.
24.00 A W. Oak 8 ins. diamt.
34.00 A Spring 2 links wide - course East.
55.00 A W. Oak 20 ins. diamt.
64.00 A W. Oak 15 ins. diamt.
80.00 Set Temporary Section post.
Generally good Oak land.

East, on random line, between Sections 7 and 14.

80.00 Fell 15 links South of the corner.

Thursday, November 17, 1803.

West, connected, between Sections 7 and 14.

4.38 A Maple 14 ins. diamt.
12.00 A brook 2 links wide - course South.
27.70 A Maple 7 ins. diamt.
30.00 A brook 2 links wide - course South.
37.00 A brook 15 links wide - course S. E.
40.00 Set post corner of half Sections 13, 14, 27, 28, from which
an Elm 10 ins. diamt. bears South, 17 links distant, and
a Thorn 8 ins. diamt. bears N 41 W, 30 lks. distant.
Generally good Oak land.
46.72 An Ash 12 ins. diamt.
64.00 A W. Oak 18 ins. diamt.
80.00 Set post corner of Sections 6, 7, 14, 15, from which a W. Oak
20 ins. diamt. bears S 31 E, 21 links distant, and a W. Oak
20 ins. diamt. bears N 22 W, 27 links distant.
Poor, white Oak land.

North, between Sections 6 and 7.

Chs. 1st.

17.50 A brook 10 links wide - Course East.

18.50 A looped brook links wide.

43.00 A B. Oak 24 ins. diam.

69.00 A R. Oak 9 ins. diam.

79.00 A brook 2 links wide - Course East.

80.00 Set Temporary Section post.

Generally poor land - Timber, Oak, Dogwood &c.

East, on random line, between Sections 4 and 7.

80.00 Sell 16 links South of the corner.

East, on random line, between Sections 3 and 8.

80.25 Sell 25 links South of the corner.

East, on random line, between Sections 2 and 9.

80.00 Sell 5 links North of the corner.

East, on random line, between Sections 1 and 10.

80.20 Sell 10 links North of the corner of Sections 5 and 6, in Township 8 Range 3, N. S. Mil. Dist. 6.

North, on Fifth Mile, East Boundary, E. side of Section 1.

10 A brook 3 links wide - Course West.

6.54 A W. Oak 24 ins. diam.

35.00 A Maple 16 ins. diam.

35.50 A brook 8 links wide - Course West.

43.68 A W. Oak 24 ins. diam.

55.00 A W. Oak 24 ins. diam.

71.15 A W. Oak 18 ins. diam.

85.25 Set post corner of Townships 8 and 9 in Range 4, from which a W. Oak 16 ins. diam. bears N 63 W. 28 links distant, and a W. Oak 18 ins. diam. bears S 10 W. 37 links distant.

Generally level poor oak land.

West, corrected, between Sections 1 and 10.

Ch^d L^{ts}

- 1.00 A brook 3 links wide - Course S. W.
 8.00 A brook 40 links wide - Course North.
 25.00 A Maple 8 ins. diamt.
 38.00 A brook 2 links wide - Course North.
 40.10 Set post corner of half Sections 1, 2, 19, 20, from which
 an Elm 12 ins. diamt. bears N 53 E, 11 links distant, and a
 W. Oak 15 ins. diamt. bears S 77 W, 33 links distant.
 Good bottom land. Timber, Oak, Hickory, Ash &c.
 41.00 A brook 2 links wide - Course S. E. Kept up the same.
 43.80 A Hickory 24 ins. diamt.
 55.00 Left brook to the South.
 69.50 A R. Oak 18 ins. diamt.
 80.20 Set post corner of Sections 1, 2, 9, 10, from which a
 W. Oak 2 ins. diamt. bears S 55 E, 11 links distant, and a
 W. Oak 24 ins. diamt. bears N 66 W, 50 links distant.
 Good level land. Timber, Oak, Ash, Hickory &c.

North, between Sections 1 and 2.

- 10.17 A W. Oak 24 ins. diamt.
 12.50 A brook 2 links wide - Course West.
 24.90 A W. Oak 16 ins. diamt.
 47.00 A brook 50 links wide - Course N. E.
 58.68 A Maple 12 ins. diamt.
 83.50 A brook 15 links wide - Course East.
 85.50 Set post in Township line, corner of Sections 1 and 2,
 from which a cherry 12 ins. diamt. bears S 58 W, 28 links
 distant, and a B. Jack 10 ins. diamt. bears N 12 E, 61 links
 distant.
 Generally bottom land. Timber, Oak, Ash, Thorn &c.

Friday, November 18, 1803.

West, corrected, between Sections 2 and 9.

- 20.00 A brook 3 links wide - Course North.
 24.30 An Elm 13 ins. diamt.
 33.00 A brook 50 links wide - Course North.
 40.00 Set post corner of half Sections 3, 4, 17, 18, from which

left list.

an Ash 16 ins. diamt. bears N 3 E, 22 links distant, and
an Ash 2 ins. diamt. bears S 15 E, 27 links distant.

Level land - good soil - Timber, Oak, Hickory, Ash &c.

42.00 A Hickory 16 ins. diamt.

64.37 A brook 3 links wide - course S. E.

65.00 A Maple 16 ins. diamt.

80.00 Set post corner of Sections 2, 3, 8, 9, from which a W. Oak
18 ins. diamt. bears N 84 W, 33 links distant, and a W. Oak,
18 ins. diamt. bears N 84 E, 35 links distant.

Level land. Good soil - Timber, Oak, Hickory, Ash &c.

North, between Sections 2 and 3.

14.00 A W. Oak 18 ins. diamt.

38.60 A W. Oak 16 ins. diamt.

51.50 A brook 3 links wide - course S. E.

52.90 An Elm 6 ins. diamt.

76.20 A W. Oak 30 ins. diamt.

81.50 A brook 3 links wide - course East.

86.00 To post in Township line corner of Sections 2 and 3, from
which a W. Oak 24 ins. diamt. bears S 14 E, 31 links distant,
and a W. Oak 30 ins. diamt. bears N 19 W, 40 links distant.

Good level Oak land.

West, corrected, between Sections 3 and 8.

6.00 A brook 3 links wide - course S. E.

10.25 A W. Oak 15 ins. diamt.

19.00 A Maple 8 ins. diamt.

40.12 Set post corner of half Sections 5, 6, 15, 16, from which a
W. Oak 16 ins. diamt. bears S 89 W, 30 links distant, and a
W. Oak 16 ins. diamt. bears S 83 E, 36 links distant.

Good level Oak land.

46.50 A W. Oak 16 ins. diamt.

58.50 A brook 3 links wide - course South.

70.50 A brook 2 links wide - course South.

74.50 A W. Oak 36 ins. diamt.

80.25 Set post corner of Sections 3, 4, 7, 8, from which, a

cht. lks.

W. Oak 24 ins. diamt. bears S 29 E, 28 links distant, and a
W. Oak 24 ins. diamt. bears N 73 W, 42 links distant.

Thin soil - Timber, Oak, Dogwood &c

North, between Sections 3 and 4.

- 18.55 A W. Oak 15 ins. diamt.
22.50 A brook 3 links wide - Course S. W.
49.40 A W. Oak 24 ins. diamt.
53.50 A brook 4 links wide - Course East.
71.65 A W. Oak 12 ins. diamt.
85.75 Set post in Township line corner of Sections 3 and 4,
from which a Maple 15 ins. diamt. bears N 69 W, 11 links
distant, and a Hickory 8 ins. diamt. bears S 82 E, 20 links
distant.

Level land - good soil - Timber, Oak, Hickory &c

West, corrected, between Sections 4 and 7.

- 4.50 A brook 3 links wide - Course South.
8.67 A W. Oak 20 ins. diamt.
32.00 A brook 10 links wide - Course S. E.
40.00 Set post corner of half Sections 7, 8, 13, 14, from which
an Ash 14 ins. diamt. bears N 54 E, 8 links distant, and a
Hickory 15 ins. diamt. bears S 71 W, 19 links distant.

Level land - rich soil - Timber, Oak, Hickory, Ash &c

- 50.50 A brook 2 links wide - Course North.
55.32 A W. Oak 36 ins. diamt.
65.00 A brook 3 links wide - Course N. E.
80.00 Set post corner of Sections 4, 5, 6, 7, from which a
W. Oak 12 ins. diamt. bears N 16 E, 41 links distant, and
a Maple 20 ins. diamt. bears S 6 W, 76 links distant.

Good level Oak land.

North, between Sections 4 and 5.

- 13.90 A Hickory 8 ins. diamt.
29.00 A brook 3 links wide - Course East.
36.00 A W. Oak 15 ins. diamt.

Ch. 28.

- 41.50 A brook 8 links wide - Course East.
 43.50 A brook 3 links wide - Course S. W.
 47.00 A brook 3 links wide - Course S. E.
 60.68 A W. Oak 36 ins. diam.
 64.50 A brook 2 links wide - Course West.
 85.75 Set post in Township line, corner of Sections 4 and 5,
 from which a Chesnut 36 ins. diam., bears East 20 lks. distant
 and a Hickory 6 ins. diam., bears N 71 W, 26 lks. distant.
 Level land - Good soil - Timber, Oak, Hickory &c

West, between Sections 5 and 6, on true line.

- 1.00 A brook 2 links wide - Course S. E.
 10.48 A R. Oak 14 ins. diam.
 30.50 A brook 3 links wide - Course South.
 31.30 A W. Oak 24 ins. diam.
 40.00 Set post corner of half Sections 9, 10, 11, 12, from which
 a Chesnut 24 ins. diam., bears N 80 W, 21 links distant,
 and a W. Oak 14 ins. diam., bears East, 52 links distant.
 Uneven land - Timber, Oak, Hickory, Chesnut &c
 59.00 A brook 6 links wide - Course South.
 60.09 A Hickory 10 ins. diam.
 85.50 Set post in Range line, corner of Sections 5 and 6,
 from which a W. Oak 24 ins. diam., bears East, 18 links
 distant, and a Hickory 18 ins. diam., bears N 88 W, 21 links
 distant.
 Hilly land - Good soil - Timber, Oak, Hickory &c

Saturday, November 19, 1803.

West, between Sections 6 and 15, on true line.

- 26.80 A Chesnut 30 ins. diam.
 40.00 Set post corner of half Sections 11, 12, 29, 30, from which
 a Chesnut, 30 ins. diam., bears S 36 W, 12 lks. distant, and
 a R. Oak 30 ins. diam., bears N 14 E, 41 lks. distant
 Generally hilly Oak land.
 59.20 A B. Oak 30 ins. diam.
 71.00 A brook 2 links wide - Course South.

Chk. Lks.

- 71.75 An Ash 6 ins. diam.
 85.25 Set post in Range line, corner of Sections 6 and 15,
 from which a Hickory 12 ins. diam. bears S47E, 7 links
 distant, and a W. Oak 17 ins. diam. bears N86W, 29 links
 distant.

Generally good oak land.

- West, on true line, between Sections 15 and 16.
 19.08 A W. Oak 10 ins. diam.
 32.90 A W. Oak 18 ins. diam.
 40.00 Set post corner of half Sections 29, 30, 31, 32, whence a
 Hickory 10 ins. diam. bears N66E, 15 links distant, and a
 Dogwood 5 ins. diam. bears N74W, 46 links distant
 Thin land - Lumber, Oak, Dogwood etc.
 45.00 A brook 3 links wide - Course South.
 51.19 A W. Oak 16 ins. diam.
 70.00 A brook 2 links wide - Course South.
 76.00 A brook 4 links wide - Course South.
 84.75 Set post in the Range line, corner of Sections 15 and 16,
 from which a W. Oak 24 ins. diam. bears S64E, 26 links
 distant, and a B. Oak 30 ins. diam. bears N64W, 25 links
 distant.

Poor oak land.

- North, on Second Mile, West Boundary, West side of Section 16.
 8.00 A new road.
 10.58 A W. Oak 18 ins. diam.
 28.50 A W. Oak 24 ins. diam.
 37.00 A W. Oak 14 ins. diam.
 46.00 A brook 15 links wide - Course East.
 71.70 A W. Oak 16 ins. diam.
 79.75 To the corner of Sections 15 and 16.
 Generally poor oak land - Park, brushy bottom.

- North, on Third mile, West Boundary, West side of Section 15.
 1.25 To Buckingham's corner.

66. 1/2

11. 40 A Tr. Oak 30 ins. diamt.
 39. 00 A looped Spring run - course S. E.
 42. 00 To Quarter Township Corner.
 52. 30 A Gum 18 ins. diamt.
 61. 00 A brook 4 links wide - Course S. E.
 64. 30 A W. Oak 16 ins. diamt.
 79. 50 To the corner of Sections 6 and 15.
 Generally poor Oak land.

North, on Fourth Mile, West Boundary, West side of Section 6.

2. 00 To Buckingham's Corner.
 25. 00 A Hickory 12 ins. diamt.
 34. 00 A brook 3 links wide - Course East.
 41. 00 A W. Oak 18 ins. diamt.
 54. 50 A brook 10 links wide - course S. E.
 55. 65 A W. Oak 16 ins. diamt.
 60. 00 A brook 3 links wide - course S. E. kept up the same.
 68. 11 A W. Oak 16 ins. diamt.
 79. 00 Left brook to the West.
 80. 00 To the corner of Sections 5 and 6.
 Poor hilly Oak land.

North, on Fifth Mile, West Boundary, West side of Section 5.

3. 00 To Buckingham's Corner.
 57. 00 A R. Oak 12 ins. diamt.
 68. 00 A brook 4 links wide - course West.
 71. 00 A brook 2 links wide - course West.
 75. 00 A double Tr. Oak ins. diamt.
 85. 00 To the corner of Townships 8 and 9, in Range 5.
 Set post corner of Townships 8 and 9 in Range 4, from which
 a Hickory 12 ins. diamt. bears S 27 E, 56 links distant, and a
 Hickory 4 ins. diamt. bears N 54 E, 24 links distant.
 Hilly poor Oak land.

Surveyed in the year 1800, by
 Alexander Holmes
 Deputy Surveyor.