



THOMAS E. FERGUSON
AUDITOR OF STATE
 COLUMBUS, OHIO 43216

DEPUTY AUDITORS:

JAMES A. BOLDEN
 Administration

RICHARD G. NUSS
 CPA
 Auditing Division

RUSSELL ROUCH
 Management Advising
 Service

CERTIFICATION

I, Thomas Aquinas Burke, Supervisor, Land Office of the Auditor of State, duly authorized to perform the duties of the Auditor of State prescribed in Section 115.21 of the Ohio Revised Code, hereby certifies that the enclosed field notes and plats are true copies taken from records in our office. These plats and field notes are for the following townships in the United States Military District:


1. Range 4, Townships 8, 9 and 10
2. Range 5, Townships 8, 9, and 10
3. Range 6, Townships 8, 9, and 10
4. Range 7, Townships 8, 9, and 10
5. Range 8, Townships 8 and 9
6. Range 9, Townships 8 and 9

and in the Ohio River Survey

1. Range 11, Townships 14 and 15
2. Range 12, Townships 14 and 15
3. Range 13, Townships 13 and 14
4. Range 14, Townships 17 and 18
5. Range 15, Townships 19 and 20

Witness my hand and seal of the Office of the Auditor of State, at Columbus, Ohio, this Twentieth-Nine day of November in the year of Our Lord Nineteen Hundred and Eighty-Three (1983).

Thomas Aquinas Burke
 Supervisor
 State Land Office



chs Lks

Saturday, November 5th, 1803.

Began the survey of Township 8 Range 5 at the South East corner, from which a W. Oak 12 ins. diam^t, bears S 34 E, 17 links distant, and a W. Oak 12 ins. diam^t, bears N 44 W, 57 links distant, thence ran

North, on East Boundary of Section 21.

- 1. 20 Holmes' post
- 16. 00 A brook 4 links wide - Course N. E.
- 38. 00 A drain - Course N. E.
- 55. 00 A drain - Course N. E.
- 65. 50 A brook 8 links wide - Course East.
- 80. 00 Set post corner of Sections 20 and 21, from which, a W. Oak 16 ins. diam^t, bears N 22 W, 19 links distant, and a W. Oak 10 ins. diam^t, bears S 49 W, 38 links distant.

This mile, thin soil - W. Oak timber. Ridges very thick with brush of Blue Beech, Oak &c

West, between Sections 20 and 21.

- 1. 50 A run 2 links wide - Course South.
- 19. 50 Erie road - Course N 70 E.
- 40. 00 Set Temporary half Section post.
- 53. 00 Erie road.
- 73. 20 A spring - Course North.
- 80. 00 Set Temporary post.

This mile, W. Oak timbered land. Low ridges - very brushy with low brush, Hagle, Plum, Grape Vines and Oak brush. Soil thin.

East, corrected, between Sections 20 and 21.

Blazed the line and set post corner of half Sections 39, 40, 41, 42 at average measure, from which, a W. Oak 14 ins. diam^t, bears N 4 W, 17 links distant, and a B. Oak 24 ins. diam^t, bears S 71 E, 27 links distant.

West, on South Boundary of Section 21.

- 40. 00 Set post corner of half Sections 41 and 42, from which

Ch^o Lk^s

a W. Oak 12 ins. diamt. bears N 25 W, 21 links distant, and
a W. Oak 30 ins. diamt. bears East, 15 links distant.

42.00 A run 3 links wide - Course N. E.

80.00 Set post corner of Sections 21 and 22, from which a
W. Oak 12 ins. diamt. bears N 47 E, 33 links distant, and
a B. Oak 20 ins. diamt. bears S 81 W, 25 links distant.

This mile, thin soil - W. Oak timbered ridges - Very brushy
with oak brush.

North, between Sections 21 and 22.

.70 A drain - Course West.

3.86 A W. Oak 12 ins. diamt.

14.00 A drain - Course East.

25.40 A B. Oak 15 ins. diamt.

27.30 A brook 6 links wide - Course East.

43.00 A B. Oak 12 ins. diamt.

52.00 A brook 4 links wide - Course East.

80.00 Intersected East and West line 10 links North*, and 14 links
South* of Temporary post - Set post corner of Sections 19, 20, 21,
22, from which a W. Oak 20 ins. diamt. bears S 59 W, 7 lks. dist.,
and a W. Oak 18 ins. diamt. bears N 71 1/2 E, 27 lks. distant.

This mile, ridge land - W. Oak timber - thin soil - Very
brushy in last half - Oak brush.

[* so in the original.]

West, on South Boundary of Section 22.

3.00 A drain - Course S. W.

29.00 A brook 4 links wide - Course South.

40.00 Set post corner of half Sections 43 and 44, from which a
W. Oak 12 ins. diamt. bears N 27 E, 7 links distant, and a
W. Oak 12 ins. diamt. bears S 5 W, 22 links distant.

45.00 A drain - Course S. E.

50.00 A drain - Course South.

55.00 A brook 6 links wide - Course S. E.

75.00 A drain - Course South.

80.00 Set post corner of Sections 22 and 23, whence a B. Oak 20 ins.
diamt. bears N 1 W, 60 lks, and a Chestnut 20 ins. dia. bears West, 44
links distant. Thin soil - Oak, timber. Very brushy with oak & Hickory.

{ For the notes of the
line between Sections
22 and 23, see Page
214. }

Chs. Lks.

East, corrected, between Sections 19 and 22
 Blazed the line and set post corner of half sections
 37, 38, 43, 44, from which a Hickory 12 ins. diamt. bears
 N 71 E, 22 links distant, and a Hickory 10 ins. diamt. bears
 N 92 E, 22 links distant. { For the Random line between
 This post in road. { Sect. 19 and 22, see Page 214. }

North, on East Boundary of Section 20.

,29 Holmes's post.
 8.70 Erie road.
 18.00 A run 4 links wide - Course East.
 35.00 Edge of Swampy Bottom.
 45.00 A brook 20 links wide - Course East.
 55.00 Across Swampy Bottom.
 80.00 Set post corner of Sections 11 and 20, from which a
 W. Oak 28 ins. diamt. bears S 55 E, 27 links distant, and
 a W. Oak 26 ins. diamt. bears S 54 W, 28 links distant.
 This mile, Oak timbered hills, and swampy Bottom.

West, between Sections 11 and 20.

24.00 A brook 10 links wide - Course South - 6 chains Swamp.
 26.00 A Spring in swamp.
 40.00 Set Temporary half Section post.
 75.50 A brook 4 links wide - Course S. E.
 80.00 Intersected North and South line 15 links South of post.
 This mile, low Oak timbered ridges - Middling soil - Under-
 growth thick, of Hazel, Hawth, Oak; and Grape vines - Soil
 thin

East, between Sections 11 and 20, on corrected line.

Blazed the line and set post corner of half Sections
 21, 22, 39, 40 at average measure, from which a W. Oak
 18 ins. diamt. bears S 40 1/2 E, 23 links distant, and a W. Oak
 12 ins. diamt. bears N 29 E, 24 links distant.

North, between Sections 19 and 20.

Ch. Lks.

- 1.50 Erie road
 6.55 A W. Oak 12 ins. diam.
 37.00 A run 3 links wide - Course N.W.
 45.60 A brook 15 links wide - Course East. Swampy Bottom, 15 chains.
 75.50 A brook 10 links wide - Course S. E. 12 chains, Swamp.
 80.00 Set post, (across Swamp), corner of Sections 11, 12, 19, 20, from which a Blk. Jack 12 ins. diam., bears S 78 E, 23 links distant, and a Blk. Jack 12 ins. diam., bears N 57 W, 42 links distant.
 This mile, Oak timbered hills, and brushy, swampy Bottom - thin soil - quit for the day, Nov. 5. 1803.

Sunday, November 6. 1803.

West, on South Boundary of Section 23.

- 20.30 A run 3 links wide - Course N.W.
 38.20 A brook 4 links wide - Course N 20 E.
 40.00 Set post corner of half Sections 45 and 46, from which a W. Oak 20 ins. diam., bears S 4 E, 50 links distant, and a W. Oak 12 ins. diam., bears N 41 W, 47 links distant.
 40.70 Old Section corner [of Quarter Townships 3 and 4.]
 60.00 Erie Road.
 80.00 To post corner of Sections 3 and 4, of T. 7, R. 5, which post stands for corner of Sections 23 and 24, T. 8, R. 5.
 This mile, thin soil - Oak timber - Brushy ridges.

North, between Sections 23 and 24.

- 30.14 A W. Oak 30 ins. diam.
 33.00 A drain - Course East.
 38.90 A Spring - Course East.
 41.18 A W. Oak 20 ins. diam.
 71.16 A W. Oak 18 ins. diam.
 80.00 Set post in run Bottom, corner of Sections 17, 18, 23, 24, from which a B. Ash, 20 ins. diam., bears S 6 E, 34 lks. distant, and a B. Ash 15 ins. diam., bears N 9 E, 6 lks. distant.
 This mile, poor brushy ridges; but very little large timber, and that, old dead Oak and Chestnut.

Ch. 1st

- West, between Sections 17 and 24.
 40 A brook 8 links wide - Course N. E.
 18.00 A drain - Course S. E.
 40.00 Set Temporary half Section post.
 80.00 Set post.

This mile, low ridges - A few old dead oaks and chestnuts, all the large timber - Undergrowth, oak and Hickory, as thick as can stand.

- East, corrected, between Sections 17 and 24.
 Blazed the line, and set post at average measure, corner of half Sections 33, 34, 47, 48, from which a B. Oak sapling 6 ins. diamt. bears N 89 E, 19 links distant, and a B. Oak sapling 5 ins. diamt. bears N 38 W, 11 links distant.

- West, on South Boundary of Section 24.
 38.50 A brook 3 links wide - Course S. W.
 40.00 Set post corner of half Sections 47 and 48, from which a Gum 14 ins. diamt. bears S 51 E, 7 links distant, and a W. Oak 11 ins. diamt. bears N 32 W, 60 links distant.
 48.00 A brook 6 links wide - Course N. W.
 75.00 A brook 6 links wide - Course North.
 80.00 Set post Corner of Sections 4 and 5 T. 7, R. 5, and Sect. 24 and 25, T. 8, R. 5,

This mile, poor stony and brushy oak timbered land.

- West, on South Boundary of Section 25.
 14.00 A brook 12 links wide - Course S. W.
 37.50 A drain - Course South.
 40.00 Set post corner of half Sections 9 and 10, and half Sections 49 and 50, T. 8, R. 5, from which a Gum 12 ins. diamt. bears N 53 E, 30 links distant, and a W. Oak 30 ins. diamt. bears S 23 W, 56 links distant.
 78.30 To the South West corner of the Township -

This mile, thin soil - Oak timber? Land somewhat

hilly, and stony - Bushy with Oak and Hickory.

North, between Sections 24 and 25.

- 2.10 A run 10 links wide - Course West.
 14.60 A W. Oak 16 ins. diam.
 23.00 A brook 3 links wide - Course S. W.
 28.70 A W. Oak 20 ins. diam.
 57.60 A drain - Course S. W.
 80.00 Intersected East and West line 10 links South and 25 lks. West of Temporary post - Set post corner of Sections 16, 17, 24, 25, from which a hickory oak 10 ins. diam. bears S 58 E, 12 links distant, and a B. Oak 20 ins. diam. bears N 11 W, 54 links distant.

This mile, first 30 chains, good timber - the remainder, poor, stony, bushy hills.

West, between Sections 16 and 25.

- 8.50 A W. Oak 18 ins. diam.
 22.70 A W. Oak 12 ins. diam.
 40.00 Set post corner of half Sections 31, 32, 49, 50, from which a W. Oak 24 ins. diam. bears N 54 E, 18 links distant, and a W. Oak 16 ins. diam. bears S 42 W, 44 links distant.
 45.50 A brook 15 links wide - Course South.
 56.88 A Hickory 14 ins. diam.
 77.60 Intersected West Boundary of this Township 29 links North of post, corner of Sections 20 and 21 Y. 8. R. 6 - Set post corner of Sections 16 and 25, from which a Hickory 14 ins. diam. bears S 22½ E, 24 links distant, and a W. Oak 18 ins. diam. bears N 39 E, 37 links distant.

This mile, last half, middling soil - Oak, timber, and Hickory - First half, poor stony land.

North, between Sections 16 and 17.

- 6.75 A B. Oak 12 ins. diam.
 10.50 A brook 6 links wide - Course West.
 22.00 A drain - Course S. W.

Chs. Lks.

- 22.42 A W. Oak 20 ins. diam.
 30.00 A drain - Course S. W.
 35.30 A drain - Course S. W.
 54.70 A drain - Course S. W.
 62.00 A drain - Course S. W.
 80.00 Set post corner of Sections 14, 15, 16, 17, from which, a
 Hickory 12 ins. diam., bears N 43 E, 34 links distant, and
 a W. Oak 8 ins. diam., bears N 63 W, 28 links distant.

This mile, poor soil - Timber, Oak - Very brushy - Oak
 and Hickory - Hilly land, and some stony.

Quit for the day. Sunday, Nov. 6. 1803.

Monday, November 7. 1803.

North, between Sections 18 and 19.

- 9.00 A W. Oak 20 ins. diam.
 38.00 A brook 12 links wide - Course East.
 45.00 A brook 15 links wide - Course East.
 56.65 A W. Oak 20 ins. diam.
 77.94 A W. Oak 14 ins. diam.
 80.00 Set post corner of Sections 12, 13, 18, 19, from which a
 W. Oak 16 ins. diam., bears N 45 W, 41 links distant, and
 a W. Oak 15 ins. diam., bears S 47 E, 29 links distant.

This mile, low Oak timbered ridges - Middling soil - ex-
 cept about 15 chains swampy Bottoms on the runs - The
 woods pretty open.

West, between Sections 18 and 23.

- 16.30 A drain - Course S. E.
 40.00 Set Temporary half Section post.
 52.20 A brook 4 links wide - Course North.
 68.00 A drain - Course North.
 79.60 Intersected North and South line 10 links North of
 post.

This mile, W. Oak timbered land - On the tops of the
 ridges, very brushy with Oak and Hickory undergrowth.

Ch: 1st

East, corrected, between Sections 18 and 23.

Blazed the line, and set post corner of half Sections 35, 36, 45, 46, at average measure, from which a W. Oak 15 ins. diamt. bears S 83 E, 26 links distant, and a W. Oak 20 ins. diamt. bears N 55 W, 34 links distant.

North, between Sections 17 and 18.

,90 A brook 6 links wide - Course N. E.

16.10 A brook 4 links wide - Course S 70 E.

18.60 A Maple 14 ins. diamt.

76.50 A brook 10 links wide - Course East.

80.00 Set post corner of Sections 17, 18, 13, 14, from which a W. Oak 15 ins. diamt. bears N 21 W, 45 links distant, and an Elm 15 ins. diamt. bears S 74 E, 45 links distant.

This mile, poor brushy ridges - But very little large timber - Oak and Hickory undergrowth - Poor soil.

West, between Sections 14 and 17.

5.00 A brook 10 links wide - Course S. E.

20.00 Leave the run - Comes from N. W.

31.50 A drain - Course North.

38.00 A drain - Course North.

40.00 Set Temporary half Section post.

80.60 Intersected North and South line 30 links North of post

This mile, first half, middling soil - Run bottom Oak timbered land. Last half, poor brushy hills.

East, corrected, between Sections 14 and 17.

Blazed the line; and, at average measure, set post corner of half Sections 27, 28, 33, 34, from which a W. Oak 24 ins. diamt. bears N 56 W, 6 links distant, and a W. Oak 14 ins. diamt. bears S 37 1/2 E, 24 links distant.

North, between Sections 13 and 14.

12.00 A drain - Course S. W.

24.50 A drain - Course S. W.

Ch. Sta.

- 38.33 A W. Oak 20 ins. diamt.
 40.60 A brook 5 links wide - Course S 70 E.
 62.00 A brook 5 links wide - Course S. E.
 68.88 A Maple 14 ins. diamt.
 80.00 Set post corner of Sections 7, 8, 13, 14, from which a
 W. Oak 20 ins. diamt. bears S 50 E, 4 links distant, and a
 W. Oak 12 ins. diamt. bears N 80 W, 49 links distant.

This mile, poor soil - Large timber, thin, W. Oak. Undergrowth, very thick, of oak, Hickory and grape vines.

West, between Sections 7 and 14.

- 1.10 A drain - Course South.
 3.00 A drain - Course S. E.
 15.50 A drain - Course S. W.
 40.00 Set Temporary Half Section post.
 51.00 A brook 6 links wide - Course N. W.
 80.00 Set Temporary Section post.

This mile, poor brushy ridges - But little large timber, or that, old dead oaks and chestnuts. In general, oak brush.

East, corrected, between Sections 7 and 14.

Blazed the line, and set post corner of Half Sections 13, 14, 27, 28 at average measure, from which a Chestnut 26 ins. diamt. bears N 16 W, 40 links distant, and a B. Oak 18 ins. diamt. bears S 61 E, 29 links distant.

West, between Sections 15 and 16.

- 7.15 A brook 4 links wide - Course S. W.
 18.38 A W. Oak 12 ins. diamt.
 20.50 A Deer lick - Course S. E.
 23.20 A brook 4 links wide - Course S. W.
 34.10 A W. Oak 30 ins. diamt.
 40.00 Set post corner of half Sections 29, 30, 31, 32, from which a
 W. Oak 10 ins. diamt. bears S 36 E, 7 links distant, and a
 Cherry 10 ins. diamt. bears N 3 E, 26 links distant.
 46.58 A B. Oak 30 ins. diamt.

Ch. Sta

75.00 A B. Oak 24 ins. diam.

77.50 Intersected West Boundary of this Township at post corner of Sections 11 and 20 T. 8. R. 6., which is corner of Sections 15 and 16, T. 8, R. 5.

This mile, Oak timbered land - Thin soil - Oak undergrowth - Last part of the mile, stony.

North, between Sections 14 and 15.

10.20 A drain - Course S. W.

18.55 A B. Oak 24 ins. diam.

46.36 A Hickory 12 ins. diam.

68.50 A run 3 links wide - Course West.

71.60 A drain - Course N. W.

80.00 Intersected the East and West line 50 links West of Temporary post - Set post corner of Sections 6, 7, 14, 15, from which a B. Oak 24 ins. diam., bears S 18 W, 54 links distant, and a B. Oak 24 ins. diam., bears N 29 E, 45 links distant.

This mile, poor brushy hills - Timber, thin, of dead Oak, Hickory, and Chesnut. Undergrowth, Oak, Hickory and Aspen.

West, between Sections 6 and 15.

13.50 A drain - Course North.

13.70 A W. Oak 16 ins. diam.

15.00 A brook 4 links wide - Course N 20 E.

40.00 Set post corner of half Sections 11, 12, 29, 30, from which a W. Oak 14 ins. diam., bears N 12 E, 28 lks. distant, and a W. Oak 16 ins. diam., bears S 60 W, 42 lks. distant.

56.65 A Chesnut 40 ins. diam.

77.40 Intersected West Boundary of the Township 106 links N. of Section corner for T. 8, R. 6 - Set post corner of Sections 6 and 15, T. 8, R. 5, from which a Hickory 12 ins. diam., bears N 2 E, 26 links distant, and a W. Oak 11 ins. diam., bears S 60 E, 24 links distant.

This mile, thin soil - Oak and Chesnut, timber.

Ch. Sta

Ridges very bushy with Oak and Hickory - Soil stony.

West, Between Sections 13 and 18.

24.00 A drain - Course South.

37.30 A brook 8 links wide - Course South - 4 chains Bottom.

40.00 Set Temporary Half Section post.

79.60 Intersected the North and South line at post.

This mile, low open ridges. Thin soil. Timber, Oak, Hickory &c.

East, Corrected, Between Sections 13 and 18.

Blazed the line, and set post corner of half Sections 25, 26, 35, 36, at average measure, from which a Hickory 14 ins. diam. bears S 68 E, 20 links distant, and a Hickory 15 ins. diam. bears S 82 W, 30 links distant.

Quit for the day, November 7, 1803.

Tuesday, November 8, 1803.

Stormy with snow to-day, and I lay by.

Wednesday, November 9, 1803.

North, Between Sections 12 and 13.

15.65 A W. Oak 14 ins. diam.

20.00 A drain - Course S 20 E.

29.70 A W. Oak 16 ins. diam.

41.00 A drain - Course N. E.

54.40 A brook 10 links wide - Course East. 5 chs. Bottom.

61.30 A W. Oak 18 ins. diam.

80.00 Set post corner of Sections 8, 9, 12, 13, from which a W. Oak 13 ins. diam. bears N 43 W, 22 links distant, and a W. Oak 12 ins. diam. bears S 63 E, 15 links distant.

This mile, thin soil. Ridge land. W. and B. Oak, Timber. Woods pretty open.

West, Between Sections 12 and 19.

2.00 A brook 12 links wide - Course South. 8 chains. Swampy Bottom.

Ch^s 21^s

- 40.00 Set Temporary half Section post.
 58.00 A brook 3 links wide - Course South.
 80.25 Intersected North and South line 5 links South of post.

This mile, thin soil - Oak timbered ridges - Woods pretty open.

East, corrected, between Sections 12 and 19.

Blazed the line and set post corner of half Sections 23, 24, 37, 38, at average measure, from which a W. Oak 12 ins. diam. bears S 41 W, 9 links distant, and a B. Oak 24 ins. diam. bears N 40 E, 31 links distant.

North, between Sections 11 and 12.

- 5.53 A W. Oak 16 ins. diam.
 7.80 A brook 4 links wide - Course SW.
 17.80 A W. Oak 18 ins. diam.
 25.50 A drain - Course SW.
 65.68 A Hickory 12 ins. diam.
 80.00 Set post corner of Sections 9, 10, 11, 12, from which a W. Oak 20 ins. diam. bears S 24 W, 12 links distant, and a W. Oak 12 ins. diam. bears N 38 W, 12 links distant.

This mile, W. Oak timbered ridges - thin soil - Undergrowth, oak, grape vines &c

West, between Sections 9 and 12.

- 32.00 A drain - Course S. E.
 40.00 Set Temporary half Section post.
 59.00 A drain - Course S. W.
 68.50 A brook 5 links wide - Course S. E.
 80.50 Intersected North and South line 25 links North of post.

This mile, Oak timbered ridges - thin soil - woods pretty open.

East, corrected, between Sections 9 and 12.

Ch. 26

Blazed the line, and set post corner of half Sections 17, 18, 23, 24, at average measure, from which a W. Oak 14 ins. diam^t, bears N 75 E, 15 links distant, and a W. Oak 18 ins. diam^t, bears S 50 W, 12 links distant.

North, between Sections 9 and 10.

1.65 A brook 4 links wide - Course S. E.

7.52 A W. Oak 14 ins. diam^t.

61.50 A drain - Course N. E.

68.40 A W. Oak 24 ins. diam^t.

69.75 A drain - Course East.

80.00 Set post corner of Sections 1, 2, 9, 10, from which, a B. Oak 20 ins. diam^t, bears S 71 E, 25 links distant, and a B. Oak 30 ins. diam^t, bears N 27 E, 21 links distant.

This mile, the first 50 chains, brushy ridges - But few large trees - The last 30 chains, well timbered with Oak - Soil thin, the whole mile.

North, on East Boundary of Section 11.

36.60 A drain - Course S. E.

40.25 Old Section corner.

52.00 A drain - Course East.

59.00 A brook 8 links wide - Course S 60 E.

80.00 Set post corner of Sections 10 and 11, from which a Hickory 8 ins. diam^t, bears S 27 E, 9 links distant, and a Hickory 10 ins. diam^t, bears N 42 1/2 W, 16 links distant.

This mile, ridge land - Timber, Oak and some Hickory. Soil thin - Sassafras and Hickory, Undergrowth.

West, between Sections 10 and 11.

6.00 A drain - Course S. E.

40.00 Set Temporary half Section post.

67.00 A brook 4 links wide - Course South.

79.60 A brook 4 links wide - Course S 30 E.

80.50 Intersected North and South line 10 links South of post.

Ch. 11^a

This mile, poor brushy hills - Some Oak timber.

East, corrected, the line between Sections 10 and 11.

Blazed the line, and set post corner of half Sections 19, 20, 21, 22, at average measure, from which a W. Oak 18 ins. diam^t. bears S 12 W, 2 links distant, and a B. Oak 24 ins. diam^t. bears N 4 W, 42 links distant.

North, on East Boundary of Section 10.

31.50 A brook 4 links wide - Course East.

51.50 A brook 12 links wide - Course East.

56.50 A brook 4 links wide - Course S. E.

76.50 Leave last noticed brook - Comes from N. W.

80.00 Set post corner of Sections 1 and 10, from which a W. Oak 12 ins. diam^t. bears N 19 W, 12 links distant, and a W. Oak 16 ins. diam^t. bears S 55 E, 33 links distant.

This mile, Oak timbered ridges - Last 30 chains, run Bottom - Ridges very brushy - Sassafras and Oak brush. Some Hickory.

North, on East Boundary of Section 1.

14.50 A drain - Course S. W.

25.50 A drain - Course S. W. Then rise high dividing ridge.

44.75 A drain - Course N. E. - On high dividing ridge.

64.00 A brook 4 links wide - Course N. W.

80.70 To the North East corner of this Township.

This mile, the first quarter on and near a drain - The remainder, high hills - Poor soil - But little large timber, and that Oak - Much Oak and Hickory brush.

West, between Sections 1 and 10.

2.70 A run 3 links wide - Course South.

29.70 A drain - Course South.

40.00 Set Temporary half Section post.

43.50 A drain - Course South.

74.75 A brook 4 links wide - Course N. W.

Ch. 26

80.40 Intersected North and South line 20 links South of post - This mile, W. Oak and B. Oak timbered ridges - Woods generally open - soil middling.

East, corrected, between Sections 1 and 10.

Blazed the line, and set post corner of half Sections 1, 2, 19, 20, at average measure, from which a W. Oak 12 ins. diam. bears N 54 E, 13 links distant, and a W. Oak 12 ins. diam. bears S 10 1/2 E, 21 links distant.

North, between Sections 1 and 2.

8.20 A brook 6 links wide - Course N. W.

13.64 A W. Oak 20 ins. diam.

17.25 A brook 3 links wide - Course West.

31.75 A drain - Course N. W.

41.40 A W. Oak 20 ins. diam.

52.00 A brook 6 links wide - Course West.

60.05 A W. Oak 12 ins. diam.

70.53 A W. Oak 24 ins. diam.

80.90 Intersected the North Boundary of this Township 40 links West of post corner of Sections 21 and 22, T. 9. R. 5, which has been pulled up, and the marks on the trees hewed out. Set post corner of Sections 1 and 2, T. 8. R. 5, from which a W. Oak 12 ins. diam. bears N 76 E, 17 links distant, and a B. Oak 14 ins. diam. bears N 68 W, 28 links distant.

This mile, hilly land. Oak timber. Thin soil. Dog-wood undergrowth. Last part of the mile, middling good land.

The post corner of half Sections 41 and 42 of T. 9. R. 5, is post corner of half Sections 1 and 2 of T. 8. R. 5.

West, between Sections 2 and 9.

12.50 A drain - Course North.

36.00 A brook 3 links wide - Course North.

38.20 A brook 6 links wide - Course N 20 E.

40.00 Set Temporary half Sections post.

Chs 264

- 72.75 A drain - Course N.W.
 76.00 A Spring - Course North.
 78.60 A brook 8 links wide - Course North.
 80.00 Set Temporary Section post.

This mile, hilly land - Timber, Oak, some Chestnut,
 Very brushy on tops of hills - Oak and Hickory brush.
 Soil thin.

East, connected, between Sections 2 and 9.

Blazed the line, and set post corner of half Sections 3, 4, 17, 18, from which a W. Oak 12 ins. diam., bears N 6 W, 19 links distant, and a W. Oak 12 ins. diam., bears S 36 W, 18 links distant. Quit for the day, November 9th, 1803.

Thursday, November 10, 1803.

West, between Sections 8 and 13.

- 34.25 A brook 3 links wide - Course S. E.
 40.00 Set Temporary half Section post.
 80.00 Intersected the North and South line 6 links South of the post.

This mile, ridge land. Thin soil - Large timber thin. Some Oak trees - Undergrowth, Oak and Hickory - Very thick.

East, connected, between Sections 8 and 13.

Blazed the line, and set post corner of half Sections 15, 16, 25, 26, at average measure, from which a W. Oak 40 ins. diam., bears N 42 E, 21 links distant, and a W. Oak 9 ins. diam., bears S 65 W, 27 links distant.

North, between Sections 7 and 8.

- 14.75 A spring - Course East.
 19.23 An Aspen 18 ins. diam.
 35.15 A drain - Course East.
 36.25 A drain - Course East.
 42.25 A Spring - Course East.

chs. lks.

57.06 A B. Oak 18 ins. diam.

63.15 A brook 6 links wide - Course East.

80.00 Set post corner of Sections 3, 4, 7, 8, from which a W. Oak 16 ins. diam., bears S 6 E, 75 links distant, and a Chestnut 16 ins. diam., bears N 6 E, 88 links distant.

This mile, poor brushy hills - But little large timber, of Oak and Chestnut.

West, between Sections 4 and 7.

31.50 A brook 4 links wide - Course S. W.

40.00 Set Temporary half Section post.

80.00 Set Temporary Section post.

This mile, first half, on the top of a brushy ridge. No large timber - Last half, middling soil - Well timbered with Oak and Hickory.

East, corrected, between Sections 4 and 7.

Blazed the line, and set post corner of half Sections 7, 8, 13, 14, from which a W. Oak 12 ins. diam., bears S 31 E, 9 links distant, and a B. Oak 6 ins. diam., bears N 59 W, 17 links distant.

North, between Sections 6 and 7.

13.30 A Hickory 16 ins. diam.

27.20 A W. Oak 24 ins. diam.

30.70 A brook 8 links wide - Course N. E.

41.20 A drain - Course East.

58.80 A brook 6 links wide - Course N. E.

64.54 A W. Oak 24 ins. diam.

77.00 A drain - Course East.

80.00 Intersected the East and West random line 5 links South and 70 links West of post - There is a run 12 lks. wide 20 links East of this post. Set post corner of Sec. 4, 5, 6, 7, from which a Cherry 20 ins. diam., bears S 21 E, 62 links distant, and a Black Jack 14 ins. diam., bears S 73 W, 49 links distant.

Ch. 1st.

This mile, Oak and Hickory timbered ridges - Middling soil, except the first quarter, a poor brushy hill.

West, between Sections 5 and 6.

- 6.40 A drain - Course N. E.
 14.30 A W. Oak 20 ins. diam.
 40.00 Set post corner of half Sections 9, 10, 11, 12, from which a B. Oak 36 ins. diam., bears N 45 W, 22 links distant, and a Chestnut 28 ins. diam., bears S 75 E, 45 links distant.
 45.20 A B. Oak 20 ins. diam.
 53.00 A brook 4 links wide - Course North.
 78.20 Intersected the West Boundary of this Township: 114 links North of post corner of Sections 1 and 10 of T. 8, R. 6. Set post corner of Sections 5 and 6 of T. 8, R. 5, from which a W. Oak 10 ins. diam., bears N 34 W, 9 links distant, and a W. Oak 30 ins. diam., bears S 34 W, 36 links distant.

This mile, Ridge land. Middling soil - Pretty stony. Timber, W. Oak and B. Oak, Some Hickory - Dogwood and some Spice, Undergrowth.

North, between Sections 4 and 5.

- .90 A brook 12 links wide - Course N. W.
 4.40 A brook 8 links wide - Course West.
 13.87 A W. Oak 20 ins. diam.
 25.44 A W. Oak 22 ins. diam.
 55.15 A W. Oak 12 ins. diam.
 68.16 A W. Oak 14 ins. diam.
 80.00 Intersected the North Boundary of this Township - Set post corner of Sections 4 and 5, from which a B. Oak 14 ins. diam., bears S 24 E, 44 links distant, and a W. Oak 16 ins. diam., bears N 23 E, 38 links distant.

This mile, most of the way, on ridge - Well timbered with B. Oak, hickory, W. Oak - Hickory and Dogwood, Undergrowth - Soil pretty good.

West, on North Boundary of Section 5.

Ch. Lks

- 21.50 A brook 8 links wide - Course S. W.
 36.80 A drain - Course Souths.
 40.00 Set post corner of half Sections 9 and 10, T. 8, R. 5,
 from which a W. Oak 20 ins. diamt. bears S 73 E, 32 lks.
 distant, and a W. Oak 40 ins. diamt. bears N 49 W, 36 lks.
 distant.
 48.60 A drain - Course S. W.
 49.70 A drain - Course S. W.
 77.81 To the North West corner of this Township - See the
 Bearings at the North East corner of Township 8, Range
 6.

This mile, hill land; well timbered with W. Oak, B. Oak,
 Hickory &c. Quit for the day, November 10, 1803.

Friday, November 11, 1803.

North, between Sections 8 and 9.

- 8.50 A brook 4 links wide - Course S. E.
 14.05 A W. Oak 12 ins. diamt.
 20.80 A brook 6 links wide - Course S 60 E.
 55.50 A W. Oak 12 ins. diamt.
 71.30 A brook 6 links wide - Course N 20 E.
 75.00 A W. Oak 18 ins. diamt.
 80.00 Set post corner of Sections 2, 3, 8, 9, 20 links North
 and 15 links West of temporary post in the East and
 West line, from which a W. Oak 2 ins. diamt. bears
 S 31 E, 29 links distant, and a W. Oak 12 ins. diamt.
 bears N 8 W, 14 links distant.

This mile, brushy ridges - Thin soil - Last part
 of the mile, timbered land - Oak timber - Thin soil.

North, between Sections 2 and 3.

- 8.10 A brook 6 links wide - Course N. W.
 13.65 A W. Oak 20 ins. diamt.
 17.50 A brook 12 links wide - Course N. E. 8 chains, Swampy
 Bottom.
 40.10 A W. Oak 20 ins. diamt.

Ch. Lks.

52.80 A drain - Course N. E.

55.50 A drain - Course East.

71.82 A W. Oak 18 ins. diam.

80.34 Intersected North Boundary of this Township 104 lks. West of post corner of Sections 22 and 23, T. 9, R. 5. Set post corner of Sections 2 and 3, T. 8, R. 5, from which a W. Oak 24 ins. diam., bears East, 6 lks. distant, and a W. Oak 12 ins. diam., bears S 67° W, 40 lks. distant. This mile, Oak timbered land - Thin soil.

Measured 72 links West of post corner of half Sections 43 and 44 of T. 9, R. 5, and set post corner of half Sec. 3 and 4, T. 8, R. 5, from which an Aspen 12 ins. diam. bears N 27° W, 11 links distant, and an Aspen 9 ins. diam. bears S 2 E, 51 links distant.

West, between Sections 3 and 8.

33.60 A brook 10 links wide - Course N. E. 5 chains, Bottom.

40.00 Set Temporary half Section post.

42.20 A brook 6 links wide - Course South.

80.10 Intersected the North and South line 20 links South of post.

This mile, First half, ridges - Timber, Oak. Last half, on brushy ridges. Oak, Hickory and Dogwood brush.

East, connected, between Sections 3 and 8.

Blazed the line, and set post corner of half Sections 5, 6, 15, 16, at average measure, from which a W. Oak 18 ins. diam., bears N 2 1/2° W, 26 links distant, and a W. Oak 14 ins. diam., bears S 22 E, 33 links distant.

North, between Sections 3 and 4.

7.20 A brook 4 links wide - Course East.

16.15 A W. Oak 24 ins. diam.

29.77 A B. Oak 24 ins. diam.

38.50 A brook 4 links wide - Course East

Ch. 282

45.00 A run 3 links wide - Course East.

55.48 A W. Oak 12 ins. diam.

69.57 A W. Oak 16 ins. diam.

80.00 Intersected the North Boundary of this Township - Set post corner of Sections 3 and 4, from which a Hickory 14 ins. dia. bears S 44 E, 34 links distant, and an Elm 9 ins. diam. bears N 8 W, 22 links distant.

This mile, ridge land - thin soil - Timber, Oak and Chesnut. Bushy with Oak, Sassafras, Dogwood &c. Soil generally stony.

West, on North Boundary of Section 4.

2.20 A brook 8 links wide - Course N. E.

26.00 A brook 8 links wide - Course S. E.

35.00 Leave the run - comes from N. W.

40.00 Set Temporary half Section post.

43.00 A brook 6 links wide - Course N. E.

59.50 A drain - Course South.

81.10 Set post corner of Sections 4 and 5.

This mile, ridge land - thin soil - Timber, W. Oak, B. Oak and Chesnut. Generally stony soil.

Set post corner of half Sections 7 and 8 at average measure, from which a W. Oak 15 ins. diam. bears S 46 W, 23 links distant, and a Maple 16 ins. diam. bears N 20 E, 8 links distant.

From the post, corner of Sections 3 and 4, measured East, on North Boundary of Section 5.

5.80 A drain - Course North.

40.05 The average of half a mile, a mile South.

Set post 152 links West of old Section corner [corner of Quarter Townships 1 and 2, T. 8. R. 5], at corner of half Sections 5 and 6, T. 8. R. 5, from which a W. Oak 24 ins. diam. bears S 42 W, 80 links distant, and a Blue Beech 10 ins. diam. bears S 25 E, 35 links distant.

This half mile, over a bushy ridge. Thin stony

soil - Some Oak and Chestnut timber.

This finishes the Survey of Township 8, Range 5, U. S. Military District, Ohio.

Surveyed in the year 1803, by
Ebenezer Buckingham
Deputy Surveyor.

The following notes were omitted in their proper place North, between Sections 22 and 23, T. 8, R. 5, U. S. Mil.

- 8.30 A Chestnut 20 ins. diamt.
41.00 A run 4 links wide - Course West.
45.60 A W. Oak 14 ins. diamt.
54.40 A W. Oak 14 ins. diamt.
60.80 Erie road.
67.20 A Hickory 12 ins. diamt.
68.50 A brook 10 links wide - Course N. E. - 6 chains Bottom.
77.00 A drain - Course East.
80.00 Set post corner of Sections 18, 19, 22, 23, from which, a Black Jack 14 ins. diamt, bears N 4 E, 6 links distant, and an Aspen 12 ins. diamt, bears S E, 31 links distant.

This mile, W. Oak timbered land. Soil thin - Undergrowth, Oak, Hickory, Hazel, Aspen, &c.

West, between Sections 19 and 22.

- 10.00 A drain - Course North.
27.20 A drain - Course North.
61.00 A brook 3 links wide - Course N. W.
73.00 A brook 12 links wide - Course N. E.
79.90 Intersected North and South line 20 links South of post. The Erie road crosses this line many times - This mile, middling soil - Oak timbered land. Not very brushy.