



THOMAS E. FERGUSON
AUDITOR OF STATE
COLUMBUS, OHIO 43216

DEPUTY AUDITORS:

JAMES A. BOLDEN
Administration

RICHARD G. NUSS
CPA
Auditing Division

RUSSELL ROUCH
Management Advising
Service

CERTIFICATION

I, Thomas Aquinas Burke, Supervisor, Land Office of the Auditor of State, duly authorized to perform the duties of the Auditor of State prescribed in Section 115.21 of the Ohio Revised Code, hereby certifies that the enclosed field notes and plats are true copies taken from records in our office. These plats and field notes are for the following townships in the United States Military District:


1. Range 4, Townships 8, 9 and 10
2. Range 5, Townships 8, 9, and 10
3. Range 6, Townships 8, 9, and 10
4. Range 7, Townships 8, 9, and 10
5. Range 8, Townships 8 and 9
6. Range 9, Townships 8 and 9

and in the Ohio River Survey

1. Range 11, Townships 14 and 15
2. Range 12, Townships 14 and 15
3. Range 13, Townships 13 and 14
4. Range 14, Townships 17 and 18
5. Range 15, Townships 19 and 20

Witness my hand and seal of the Office of the Auditor of State, at Columbus, Ohio, this Twentieth-Nine day of November in the year of Our Lord Nineteen Hundred and Eighty-Three (1983).

Thomas Aquinas Burke
Supervisor
State Land Office



Township 8, Range 9, U.S. Military District, Ohio. 227

Ch^s 26^s

October 17, 1803.

Began at the South East corner of the Township, and set W. Oak post corner of Section 21, from which a W. Oak 18 ins. diam^t, bears N 10 W, 160 links distant, and a W. Oak 15 ins. diam^t, bears N 88 W, 100 links distant. This corner is south of the corner of T. 8, R. 8. Thence ran

North, on East Boundary of Section 21.

over barren land - down hill.

47.00 A run 20 links wide - Course N 70 E.

80.00 Set B. Oak post corner of Sections 20 and 21, from which a B. Oak 4 ins. diam^t, bears S 80 W, 31 links distant, and a B. Oak 5 ins. diam^t, bears N 10 E, 11 links distant.

Poor, broken land - Some Oak and Chestnut timber in places.

West, from corner of Township, on South Boundary of Section 21, down a barren hill.

39.50 A run 20 links wide - Course N 40 E.

40.00 Set Cherry post corner of half Sections 41 and 42, from which a Cherry 8 ins. diam^t, bears N 80 E, 29 links distant, and a Cherry 7 ins. diam^t, bears S 82 W, 21 links distant.

80.00 Set Dogwood post corner of Sections 21 and 22, from which a B. Oak 10 ins. diam^t, bears N 30 E, 30 links distant, and a W. Oak 13 ins. diam^t, bears S 30 W, 12 links distant.

Poor land - Very little timber - Some Oak.

North, between Sections 21 and 22.

15.00 A W. Oak 10 ins. diam^t.

57.00 A B. Oak 12 ins. diam^t.

80.00 Set Dogwood post corner of Sections 19, 20, 21, 22, from which a B. Oak 24 ins. diam^t, bears S 70 E, 45 links distant, and a B. Oak 22 ins. diam^t, bears N 20 W, 50 links distant.

Poor land - Thin timber - Oak.

West, on South Boundary of Section 22.

40.00 Set Hickory post corner of half Sections 43 and 44, from which

Chs. 21

a Hickory 13 ins. diam. bears S 20 W, 10 links distant, and
a Yr. Oak 26 ins. diam. bears N 48 W, 45 links distant.

80.00 Set B. Oak post corner of Sections 22 and 23, from which a
Cum 8 ins. diam. bears N 70 E, 50 links distant, and a B.
Oak 30 ins. diam. bears S 70 W, 80 links distant.

Poor rocky land - Timber thin, of Oak and Chestnut.

North, between Sections 22 and 23.

10.20 A B. Oak 12 ins. diam.

30.00 A W. Oak 13 ins. diam.

43.20 A Chestnut 15 ins. diam.

44.25 A B. Oak 15 ins. diam.

80.00 Set Dogwood post corner of Sections 18, 19, 22, 23, from which
a Dogwood 8 ins. diam. bears N 10 W, 24 links distant, and
a Dogwood 7 ins. diam. bears S 30 E, 28 links distant.

Level land - tolerably good - Oak, timber, with some Hickory
and Dogwood.

West, on South Boundary of Section 23.

Poor land.

40.00 Set Hickory post corner of half Sections 45 and 46, from which
a W. Oak 12 ins. diam. bears S 80 W, 300 links distant, and
a B. Oak 10 ins. diam. bears N 70 W, 205 links distant.

No trees on the East, North or South in sight.

80.00 Set a Hickory post corner of Sections 23 and 24, from which
a W. Oak 24 ins. diam. bears N 20 W, 50 links distant, and a
W. Oak 4 ins. diam. bears S 50 E, 16 links distant.

Poor land - Rocky and barren. Some Oak timber in places.

North, between Sections 23 and 24.

34.00 To a small run. Course S 45 W.

80.00 Set Hickory post corner of Sections 17, 18, 23, 24, from which a
W. Oak 24 ins. diam. bears North, 26 links distant, and a W. Oak
20 ins. diam. bears S 5 W, 28 links distant.

High hills - Steep and poor - Timber, W. Oak, but very
thin.

Ch. Lk.

West, on South side of Section 24.

Over barren, rocky land - No timber - Oak brush.

40.00 Set Chestnut post corner of half Sections 47 and 48, from which a B. Oak 4 ins. diam., bears N 80 E, 50 links distant, and a W. Oak 5 ins. diam., bears S 30 W, 7 links distant.

80.00 Set W. Oak post corner of Sections 24 and 25, from which a Chestnut 6 ins. diam., bears S 88 E, 23 links distant, and a B. Oak 5 ins. diam., bears S 30 W, 7 links distant.

Poor land - Bushy and stony - Some scattering Chestnut, Oak and Gum.

North, between Sections 24 and 25.

Down a rough hill.

31.00 A run 10 links wide - Course S 45 W.

Then up, and along a poor ridge.

80.00 Set Poplar post corner of Sections 16, 17, 24, 25, from which a W. Oak 15 ins. diam., bears S 80 W, 11 links distant, and a W. Oak 18 ins. diam., bears South, 43 links distant.

Poor broken land - Oak timber. Oct. 17 - At night.

October 18, 1803.

West, on South side of Section 25.

30.00 A run 8 links wide - Course N 10 W.

40.00 Set B. Oak post corner of half Sections 49 and 50, from which a Chestnut 5 ins. diam., bears S 40 E, 17 links distant, and a Gum 13 ins. diam., bears S 50 W, 20 links distant.

85.00 To Corner of the Township, and of Section 25. Set W. Oak post, from which a W. Oak 30 ins. diam., bears N 15 W, 36 links distant, and a Gum 12 ins. diam., bears N 36 E, 36 links distant.

Poor land on South side of Section 25, and broken. Timber, Oak, Hickory and Chestnut.

North, on West side of Section 25.

Rough land.

60.00 To a run 10 links wide - Course N 60 W.

Chs. Lks.

- 65.00 To a small run - Course S 60 W.
- 75.00 A small run - Course S 77 W.
Over rough brushy ridges - Lumber, Oak and Chestnut.
- 80.00 Set Dogwood post corner of Sections 16 and 25 from which
a W. Oak 20 ins. diamt. bears N 20 W, 60 links distant, and a
W. Oak 15 ins. diamt. bears N 50 E, 50 links distant.
Broken, poor land.
- East, on random line, through the Township.
Tell 5 links North of post corner of Sections 16, 17, 24, 25.
Tell 10 links South of post corner of Sections 17, 18, 23, 24.
Tell 7 links North of post corner of Sections 18, 19, 22, 23.
Tell 10 links South of post corner of Sections 19, 20, 21, 22.
Intersected East Boundary of Township 5 links North of
the post, corner of Sections 20 and 21.
- North, on East Boundary of Section 20.
80.00 Set Chestnut post corner of Sections 11 and 20, from which
a B. Oak 13 ins. diamt. bears West, 4 links distant, and
a B. Oak 15 ins. diamt. bears N 45 E, 33 links distant.
Rocky, barren hills - Scattering Oak and Chestnut timber.
- West, between Sections 20 and 21.
Over barren hills - No timber.
- 40.00 Set B. Oak post corner of half Sections 39, 40, 41, 42, from
which a B. Oak 5 ins. diamt. bears N 40 E, 13 links distant,
and a B. Oak 4 ins. diamt. bears S 20 W, 10 links distant.
- 80.00 To corner of Sections 18, 19, 22, 23.
Some Oak and Chestnut timber in places. Land rocky.
- North, between Sections 19 and 20.
7.40 A W. Oak 10 ins. diamt.
12.50 A B. Oak 12 ins. diamt.
80.00 Set Gum post corner of Sections 11, 12, 19, 20, from which
a W. Oak 22 ins. diamt. bears S 75 E, 20 links distant, and
a Chestnut 24 ins. diamt. bears N 50 W, 93 links distant.

Ch. 18

Level land, thickly timbered with Oak, Chestnut and Hickory.

West, between Sections 19 and 22.

40.00 Set Chestnut post corner of Half Sections 37, 38, 43, 44, from which a Chestnut 13 ins. diam., bears S 40 E, 15 links distant, and a Hickory 14 ins. diam., bears N 60 W, 22 links distant.

80.00 To post corner of Sections 18, 19, 22, 23.

Low ridges. Timber, Oak, Chestnut and Hickory, but thin. Land tolerably good.

North, between Sections 18 and 19.

5.20 A B. Oak 12 ins. diam.

6.70 A Gum 15 ins. diam.

10.50 A Poplar 20 ins. diam.

30.00 A Hickory 15 ins. diam.

80.00 Set Dogwood post corner of Sections 18, 19, 12, 13, from which a B. Oak 12 ins. diam., bears S 10 E, 42 links distant, and a Maple 12 ins. diam., bears N 25 E, 39 links distant.

Level, handsome land. Timber, Oak, Hickory, Gum, Poplar and Dogwood.

West, between Sections 18 and 23.

Over level, good land.

40.00 Set Dogwood post corner of half Sections 35, 36, 45, 46, from which a B. Oak 24 ins. diam., bears N 35 E, 43 links distant, and a W. Oak 20 ins. diam., bears S 60 W, 20 links distant.

80.00 Over good level land, to corner of Sections 17, 18, 23, 24. Timber, Oak, Walnut, Ash and Hickory.

North, between Sections 17 and 18.

10.20 A W. Oak 10 ins. diam.

15.00 A B. Oak 12 ins. diam.

30.50 A Chestnut 20 ins. diam.

38.00 A run 5 links wide - Course S 60 W.

80.00 Set B. Oak post corner of Sections 13, 14, 17, 18, from which

Ch^s Sk^s

a W. Oak 12 ins. diam^t. bears N 40 W, 128 links distant, and
 a Hickory 10 ins. diam^t. bears S 20 W, 200 links distant.
 Thin soil - Timber, very thin, of Oak and Hickory.

West, between Sections 17 and 24.
 Down a rough hill.

33.00 A run 10 links wide. Course S 50 W.

Then up a barren hill.

40.00 Set B. Oak post corner of Half Sections 33, 34, 47, 48, from
 which a B. Oak 15 ins. diam^t. bears North 5 links distant.
 No other tree near. Number marked on tree.

80.00 To corner of sections 16, 17, 24, 25.

Poor land and broken. Oak brush.

North, between Sections 16 and 17.
 Over barren ridges.

80.00 Set Ironwood post corner of Sections 14, 15, 16, 17, from which
 a W. Oak 20 ins. diam^t. bears N 2 E, 30 links distant, and a
 W. Oak 18 ins. diam^t. bears S 10 E, 50 links distant.

Oak timber about the corner. Poor land, and rough.

West, between Sections 16 and 25.
 Over brushy hills.

40.00 Set Dogwood post corner of Half Sections 31, 32, 49, 50, from
 which a W. Oak 15 ins. diam^t. bears N 45 W, 10 links distant, and
 a W. Oak 22 ins. diam^t. bears South, 40 links distant.

Poor, rough land to corner.

85.50 To corner of sections 16 and 25, on West Boundary.

Oak timber, but very thin. October 18. At night.

October 19. 1803.

North, on West Boundary of Section 16.

Over rough brushy ridges.

60.00 A W. Oak 10 ins. diam^t.

65.00 A B. Oak 5 ins. diam^t.

79.00 A small run - Course S 70 W.

ch. St.	<p>80.00 Set W. Oak post corner of Sections 15 and 16, from which a W. Oak 20 ins. diam., bears N 70 W, 60 links distant, and a W. Oak 13 ins. diam., bears N 52 W, 16 links distant.</p> <p>Rough ridges: brushy, and but little timber; Oak.</p>
East,	<p>on random line across the Township.</p> <p>Sell 7 links South of post corner of Sections 14, 15, 16, 17.</p> <p>Sell 10 links North of post corner of Sections 13, 14, 17, 18.</p> <p>Sell 8 links South of post corner of Sections 12, 13, 18, 19.</p> <p>Sell 7 links North of post corner of Sections 11, 12, 19, 20.</p> <p>Intersected East Boundary at post corner of Sections 11 and 20.</p>
North,	<p>on East side of Section 11.</p> <p>7.50 A small run - Course S 80 E.</p> <p>10.00 A W. Oak 10 ins. diam.</p> <p>75.00 A small run - Course S 80 E.</p> <p>80.00 Set B. Oak post corner of Sections 10 and 11, from which a B. Oak 12 ins. diam., bears N 87 W, 71 links distant, and a Chestnut 5 ins. diam., bears S 80 E, 150 links distant.</p> <p>Poor land on last mile - Timber, Oak, Chestnut and Popple.</p> <p>Broken land.</p>
West,	<p>between Sections 11 and 20.</p> <p>Over barren hills: brushy and rocky.</p> <p>40.00 Set Chestnut post corner of half Sections 21, 22, 39, 40, from which a B. Oak 8 ins. diam., bears N 45 E, 49 links distant. No other tree near.</p> <p>80.00 To post corner of Sections 11, 12, 19, 20.</p> <p>Barren hills - No timber.</p>
North,	<p>between Sections 11 and 12.</p> <p>5.20 A W. Oak 10 ins. diam.</p> <p>9.50 A B. Oak 8 ins. diam.</p> <p>15.70 A B. Oak 12 ins. diam.</p> <p>45.00 A W. Oak 10 ins. diam.</p>

Ch^s Lk^s

80.00 Set Dogwood post corner of Sections 9, 10, 11, 12, from which a B. Oak 10 ins. diam^t, bears N 45 W, 25 links distant, and a B. Oak 15 ins. diam^t, bears S 15 E, 30 links distant.
Tolerably good land. Timber, Oak, Chestnut and Hickory.

West, between Sections 12 and 19.
Over level Oak land.

40.00 Set Dogwood post corner of half Sections 23, 24, 37, 38, from which a Tr. Oak 9 ins. diam^t, bears N 88 E, 22 links distant, and a B. Oak 15 ins. diam^t, bears N 70 W, 14 links distant.

80.00 To corner of Sections 12, 13, 18, 19.
Level land - Good soil - Oak timber.

North, between Sections 12 and 13.

4,50 A W. Oak 10 ins. diam^t.

12,00 A Small sum - Course N 15 E.

15,00 A B. Oak 15 ins. diam^t.

25,40 A B. Oak 12 ins. diam^t.

80.00 Set Hickory post corner of Sections 8, 9, 12, 13, from which a Tr. Oak 30 ins. diam^t, bears South, 105 links distant, and a Tr. Oak 8 ins. diam^t, bears N 5 W, 300 links distant.
Level land, thinly timbered with Oak - Middleing soil.

West, between Sections 13 and 18.

Over good level Oak land.

40,00 Set W. Ash post corner of half Sections 25, 26, 35, 36, from which a B. Oak 18 ins. diam^t, bears S 85 E, 38 links distant, and a Hickory 15 ins. diam^t, bears S 80 W, 48 links distant.

80,00 To corner of Sections 13, 14, 17, 18.

Level land - Good soil. Timber, Hickory, Gum, Ash and Oak.

North, between Sections 13 and 14.

Over barren plain - No timber except at each corner.

80,00 Set Dogwood post corner of Sections 7, 8, 13, 14, from which a Hickory 10 ins. diam^t, bears N 20 W, 34 links distant, and

Ch^s Sk^s

a W. Oak 30 ins. diam^t, bears S 30 E. 30 links distant.
On the side of a hollow.

West, between Sections 14 and 17.

over level land - some W. Oaks.

40.00 Set Dogwood post corner of half Sections 27, 28, 33, 34, from
which a W. Oak 10 ins. diam^t, bears S 80 W, 58 links distant, and
a W. Oak 20 ins. diam^t, bears N 70 W, 87 links distant.

80.00 To corner of Sections 14, 15, 16, 17.

Level, barren land, lately burned over. Oct. 19. At night.

October 20, 1803.

North, between Sections 14 and 15.

25.55 A W. Oak 10 ins. diam^t.

51.30 A Chestnut 12 ins. diam^t.

45.00 A B. Oak 15 ins. diam^t.

80.00 Set B. Oak post corner of Sections 6, 7, 14, 15, from which a
B. Oak 7 ins. diam^t, bears North, 5 links distant. Marked r.
No other tree near for bearings.

Level, brushy, rocky barren land - some scattering oak trees.

West, between Sections 15 and 16.

over barren land.

40.00 Set W. Oak post corner of half Sections 29, 30, 31, 32, from which
a W. Oak 30 ins. diam^t, bears S 40 E, 54 links distant, and a B. Oak
9 ins. diam^t, bears West, 100 links distant.

85.70 To corner of Sections 15 and 16, on West Boundary.

Poor land - No timber of any account - Burnt over lately.

North, on west side of Section 15.

over barren ridges - steep, and but little timber. Very
rocky.

80.00 Set W. Ash post corner of Sections 6 and 15, from which a
W. Ash 9 ins. diam^t, bears S 40 W, 17 links distant, and a
Sickony 7 ins. diam^t, bears N 55 W, 5 links distant.

Oak, Ash and Sickony saplings in places - Much burnt over.

Chp. Lks	
East,	<p>on random line across the Township.</p> <p>Sell 30 links North of post corner of Sections 6, 7, 14, 15.</p> <p>Sell 40 links South of post corner of Sections 7, 8, 13, 14.</p> <p>Sell 5 links North of post corner of Sections 8, 9, 12, 13.</p> <p>Sell 10 links South of post corner of Sections 9, 10, 11, 12.</p> <p>Intersected East Boundary 17 links North of post corner of Sections 10 and 11.</p>
North,	<p>on East Boundary of Section 10.</p> <p>55.00 on rough ridge - Oak timber.</p> <p>65.00 Descending ground - Good land - Popple timber. Then rough poor land to corner.</p> <p>80.00 Set Dogwood post corner of Sections 1 and 10. marked σ; from which a B. Oak 13 ins. diamt. bears S 20 W, 50 links distant, and a B. Oak 13 ins. diamt. bears N 10 E, 70 links distant.</p> <p>Oak and Chestnut timber - Rocky, thin soil generally.</p>
West,	<p>between Sections 10 and 11.</p> <p>Over barren ridges - some oak timber in places.</p> <p>40.00 Set Chestnut post corner of half Sections 19, 20, 21, 22, from which a Chestnut 12 ins. diamt. bears N 87 W, 100 links distant, and a Chestnut 10 ins. diamt. bears S 88 E, 90 links distant.</p> <p>58.00 A small run. Course N 45 E.</p> <p>Over barren ridges.</p> <p>80.00 To corner of Sections 9, 10, 11, 12.</p> <p>Very poor land and rocky - some Oak and Chestnut timber.</p>
North,	<p>between Sections 9 and 10.</p> <p>5.10 A B. Oak 10 ins. diamt.</p> <p>10.12 A B. Oak 8 ins. diamt.</p> <p>17.05 A W. Oak 15 ins. diamt.</p> <p>39.00 A Chestnut 10 ins. diamt.</p> <p>80.00 Set Dogwood post corner of Sections 1, 2, 9, 10, from which a W. Oak 8 ins. diamt. bears S 20 E, 16 links distant, and a W. Oak 13 ins. diamt. bears N 10 W, 24 links distant.</p> <p>Thin soil, and rocky - Timber, Oak, Hickory and Chestnut.</p>

Chs. Lk.	
West,	between Sections 9 and 12. Over good level land.
40.00	Set Dogwood post corner of half Sections 17, 18, 23, 24, from which an Ironwood 9 ins. diamt. bears S 85 W, 50 links distant, and a W. Oak 24 ins. diamt. bears N 80 E, 28 links distant.
41.00	A small run - Course N 10 W.
80.00	over rich land & corner of Sections 8, 9, 12, 13. Lumber, Oak, Chestnut, Hickory, Poplar and Gum.
North,	between Sections 8 and 9.
6.20	A B. Oak 15 ins. diamt.
8.50	A W. Oak 20 ins. diamt.
13.40	A Chestnut 15 ins. diamt.
20.00	A B. Oak 10 ins. diamt.
80.00	Set Dogwood post corner of Sections 2, 3, 8, 9, from which a B. Oak 20 ins. diamt. bears N 5 W, 22 links distant, and a Dogwood 8 ins. diamt. bears S 20 E, 30 links distant. Broken land - Thin soil and rocky. Lumber, Oak, Hickory, Chestnut and Gum.
West,	between Sections 8 and 13.
	Over points of ridges - Thin W. Oak timber.
40.00	Set W. Oak post corner of half Sections 15, 16, 25, 26, from which a W. Oak 18 ins. diamt. bears North, 30 links distant, and a W. Oak 15 ins. diamt. bears East, 50 links distant.
80.00	To post corner of Sections 7, 8, 13, 14. Level land. Thin soil. Very much burned over.
North,	between Sections 7 and 8.
40.00	Over barren hills. No timber, except some Oak.
80.00	Set Elm post corner of Sections 3, 4, 7, 8, from which, a B. Oak 26 ins. diamt. bears N 50 W, 20 links distant, and a W. Oak 18 ins. diamt. bears S 15 E, 33 links distant. Poor land.
West,	between Sections 7 and 14.

Ch. Lks

over barren hills - No timber of any account.
 40.00 Set B. Oak post corner of half Sections 13, 14, 27, 28, on the East side of a ridge, from which a B. Oak 6 ins. diam. bears N 5 E, 7 links distant. No other trees or saplings near.

80.00 To corner of sections 6, 7, 14, 15 -
 over barren, burnt ridges - October 20, 1803. At night.

October 21, 1803.

North, between sections 6 and 7.

5.40 A B. Oak 12 ins. diam.

10.20 A B. Oak 13 ins. diam.

25.10 A B. Oak 10 ins. diam.

Level land.

35.50 A W. Oak 20 ins. diam.

57.00 A small run - Course S 50 W.

60.00 A W. Oak 10 ins. diam.

80.00 Set Dogwood post corner of sections 4, 5, 6, 7, from which a W. Oak 10 ins. diam. bears S 5 E, 20 links distant, and a W. Oak 13 ins. diam. bears N 20 W, 20 links distant.

Thin soil. Timber, Oak, Chestnut and Hickory.

West, between sections 6 and 15.

over barren plain

40.00 Set W. Oak post corner of half Sections 11, 12, 29, 30, from which a W. Oak 5 ins. diam. bears N 30 W, 11 links distant, and a Chestnut 7 ins. diam. bears S 15 E, 26 links distant.

over poor land - Burnt over.

86.00 To corner of sections 6 and 15, on West Boundary.

No timber of any account.

North, on West side of Section 6.

9.00 To Mohican Creek - Course S 40 W.

13.00 To North bank of creek.

on bottom land.

58.50 To Mohican Creek, again. Course N 50 E - [cu. S 50 E]

Ch. 26.

62.50 To North bank of creek.
Up a hill.

80.00 Set B. Oak post corner of sections 5 and 6, from which
a B. Oak 8 ins. diam., bears N 5 W, 31 links distant, and a
Dogwood 4 ins. diam., bears S 30 W, 30 links distant.
Lumber, Oak, Elm, Ash, Hickory, Pine & Broken land.

East, on random line, across the Township.

Set 20 links South of post corner of Sections 4, 5, 6, 7.

Set 15 links North of post corner of Sections 3, 4, 7, 8.

Set 30 links South of post corner of Sections 2, 3, 8, 9.

Set 10 links North of post corner of Sections 1, 2, 9, 10.

Intersected East Boundary 15 links South of post corner of
Sections 1 and 10.

North, on West side of Section 1. [Say East side of Section 1.]

28.00 A run 20 links wide - course S 60 E.

32.00 Over bottom to a hill. Then up hill, to corner.

85.00 To North East corner of the Township. Set Dogwood post corner
of Township and of Section 1, from which a W. Oak 20 ins.
diam., bears N 30 W, 5 links distant, and a B. Oak 25 ins.
diam., bears S 40 E, 8 links distant.

Lumber, B. and W. Oak - Poor hills and broken.

West, between Sections 1 and 10.

Over rough ridges - Poor land.

40.00 Set Dogwood post corner of half Sections 1, 2, 19, 20, from which
a B. Oak 20 ins. diam., bears N 45 W, 14 links distant, and a
B. Oak 18 ins. diam., bears S 40 E, 24 links distant.

Poor Broken land.

80.00 Set post corner of Sections 1, 2, 9, 10.

Oak, Hickory, and Chestnut. October 21. At night.

October 22, 1803

North, between Sections 1 and 2.

4.20 A B. Oak 12 ins. diam.

Ch. Sk.

- 5.50 A B. Oak 13 ins. diam.
- 15.00 A small run - Course N 45 E.
- 52.00 A run 20 links wide - Course S 10 E - Then up the run.
- 85.50 To Township line - Set post corner of Sections 1 and 2, from which a W. Oak 6 ins. diam. bears S 10 W 34 links distant, and a W. Oak 13 ins. diam. bears N 25 E, 50 links distant.
Poor broken land. Oak, Hickory, Beech, Ash and Chestnut, timber.
-
- West, between Sections 2 and 9.
- 11.00 A run 15 links wide - Course N 45 E.
Over broken land.
- 40.00 Set Dogwood post corner of half Sections 3, 4, 17, 18, from which a W. Oak 15 ins. diam. marked σ bears S 45 E, 5 links distant. No other tree near.
Barren land
- 80.00 To corner of Sections 2, 3, 8, 9.
Timber, Oak and chestnut.
-
- North, between Sections 2 and 3.
- 3.10 A B. Oak 12 ins. diam.
- 7.20 A B. Oak 10 ins. diam.
- 9.05 A W. Oak 15 ins. diam.
- 25.10 A B. Oak 10 ins. diam.
- 84.50 To Township line - Set Dogwood post corner of Sections 2 and 3, from which a Chestnut 30 ins. diam. bears S 30 W, 37 links distant, and a B. Oak 20 ins. diam. bears N 16 E, 36 links distant.
Broken, poor land, and rocky - Timber, Oak & Chestnut.
-
- West, between Sections 3 and 8.
- Down one ridge, and up another.
- 40.00 Set Hickory post corner of half Sections 5, 6, 15, 16, from which a W. Oak 30 ins. diam. bears N 70 E, 60 links distant, and a W. Oak 13 ins. diam. bears S 70 W, 79 links distant.
Middling soil - Land rather broken.

Chs Lks

80.00 To corner of Sections 3, 4, 7, 8.
Timber, Oak, Hickory and Chesnut.

North, between Sections 3 and 4.

5.10 A B. Oak 10 ins. diam.

7.40 A B. Oak 20 ins. diam.

9.05 A B. Oak 15 ins. diam.

20.30 A B. Oak 20 ins. diam.

Good land.

85.20 To Township line. Set Dogwood post corner of Sections 3 and 4, from which a W. Oak 18 ins. diam. bears S 10 E, 60 links distant, and a B. Walnut 5 ins. diam. bears N 20 W, 26 links distant.

Timber, Oak, Walnut, Sugar, Gum and Hickory.

West, between Sections 4 and 7.

Over thin soil - Timber thin.

34.00 A small run - Course S 10 W - Broken land.

40.00 Set W. Oak post corner of half Sections 7, 8, 13, 14, from which a B. Oak 7 ins. diam. bears S 30 W, 13 links distant, and a B. Oak 8 ins. diam. bears N 70 W, 20 links distant.

80.00 To corner of Sections 4, 5, 6, 7.

Middling soil - Timber, Oak, Chesnut and Hickory.

North, between Sections 4 and 5.

3.20 A W. Oak 15 ins. diam.

7.50 A B. Oak 12 ins. diam.

25.00 A run - Course S 45 W.

26.10 A W. Oak 15 ins. diam.

45.20 A W. [Oak] 12 ins. diam.

84.00 To Township line. Set post corner of Sections 4 and 5, from which a W. Oak 10 ins. diam. bears S 20 E, 7 links distant, and a B. Oak 18 ins. diam. bears N 60 W, 60 links distant.

Thin soil - Timber, Oak, Hickory, Chesnut, and some Gum.

West,	between Sections 5 and 6.
4.00	A small run - Course S 15 W. Over ridges.
40.00	Set Hickory post corner of half Sections 9, 10, 11, 12, from which a W. Oak 18 ins. diamt. bears S 5 W, 21 links distant, and a W. Oak 15 ins. diamt. bears N 5 W, 9 links distant.
86.40	To corner of Sections 5 and 6, on West Boundary. Rough land - Timber, Oak, Chestnut and Hickory - thin soil.
North,	on West side of Section 5.
20.00	A small run - Course S 45 W.
44.00	A W. Oak 24 ins. diamt.
53.00	A W. Oak 30 ins. diamt.
? 49.50	A run 7 links wide - Course S 70 W.
83.80	To North West corner of the Township, marked σ : Set W. Oak post for corner of Township, and of Section 5, from which a W. Oak 12 ins. diamt. bears S 86 E, 71 links distant, and a B. Oak 30 ins. diamt. bears N 61 W, 24 links distant. Poor soil - Broken land. Timber, Oak, Hickory, Chestnut and Beech.
West,	from North East corner of Township, on the North side of Section 1.
	Over poor hills and rocky.
39.95	Set Hickory post corner of half Sections 1 and 2, from which a B. Oak 18 ins. diamt. bears S 80 E, 32 links distant, and a Chestnut 24 ins. diamt. bears N 50 W, 32 links distant. Down a ridge to corner.
79.80	To corner of Sections 1 and 2. Thin soil - Oak, Chestnut and Hickory timber.
	October 22, 1803. At night.
	October 23, 1803.
West,	on North side of Section 2.
12.00	To a run 20 links wide. Course S 30 E.

Ch. Lk.

- Then up a steep, rough hill.
- 40.00 Set W. Oak post corner of half Sections 3 and 4, from which a W. Oak 7 ins. diam., bears N 45 E, 5 links distant, and a W. Oak 5 ins. diam., bears S 50 W, 79 links distant.
- 80.00 Over rough land, to corner of Sections 2 and 3.
Poor land - Timber, Oak, Hickory and Chestnut.
- West, on North side of Section 3.
Through open Oak timber.
- 40.00 Set Dogwood post corner of half Sections 5 and 6, from which a W. Oak 9 ins. diam., bears S 20 W, 46 links distant, and a W. Oak 10 ins. diam., bears N 20 W, 12 links distant.
Level land. Thin soil - Oak, Chestnut and Hickory timber.
- 80.00 To corner of Sections 3 and 4.
Land same as first half.
- West, on North side of Section 4.
Through open timber.
- 26.00 A small run - Course N 45 E.
- 39.90 Set Elm post corner of half Sections 7 and 8, from which a B. Oak 40 ins. diam., bears S 60 W, 36 links distant, and a Chestnut 15 ins. diam., bears N 40 E, 36 links distant.
- 79.80 Level land all the way to corner of Sections 4 and 5.
Thin soil - Timber, Oak, Chestnut and Hickory.
- West, on North side of Section 5.
Over thin Oak land.
- 30.20 A small run - Course S 60 W.
- 40.00 Set post corner of half Sections 9 and 10, from which a B. Oak 5 ins. diam., bears S 70 W, 13 links distant, and a B. Oak 6 ins. diam., bears N 10 E, 8 links distant.
- 86.50 To the North west corner of the Township.
Timber, Oak and Chestnut.

Surveyed in the year of Grace, 1803.

By Elias Bext, Deputy Surveyor.