



THOMAS E. FERGUSON
AUDITOR OF STATE
COLUMBUS, OHIO 43216

DEPUTY AUDITORS:

JAMES A. BOLDEN
Administration

RICHARD G. NUSS
CPA
Auditing Division

RUSSELL ROUCH
Management Advising
Service

CERTIFICATION

I, Thomas Aquinas Burke, Supervisor, Land Office of the Auditor of State, duly authorized to perform the duties of the Auditor of State prescribed in Section 115.21 of the Ohio Revised Code, hereby certifies that the enclosed field notes and plats are true copies taken from records in our office. These plats and field notes are for the following townships in the United States Military District:

1. Range 4, Townships 8, 9 and 10
2. Range 5, Townships 8, 9, and 10
3. Range 6, Townships 8, 9, and 10
4. Range 7, Townships 8, 9, and 10
5. Range 8, Townships 8 and 9
6. Range 9, Townships 8 and 9

and in the Ohio River Survey

1. Range 11, Townships 14 and 15
2. Range 12, Townships 14 and 15
3. Range 13, Townships 13 and 14
4. Range 14, Townships 17 and 18
5. Range 15, Townships 19 and 20

Witness my hand and seal of the Office of the Auditor of State, at Columbus, Ohio, this Twentieth-Nine day of November in the year of Our Lord Nineteen Hundred and Eighty-Three (1983).

Thomas Aquinas Burke
Supervisor
State Land Office



U S M D
R T
7 9

Township 9, Range 7, U. S. Military District Ohio. 485
Ch. 265

Wednesday, Sept. 21, 1803.

South, on random line, through the center of Township 9 Range 7.
Variation S 0° 50' E. on First Mile.

- 4.00 A drain - Course S. W.
23.00 A brook 8 links wide - Course East.
42.50 A drain - Course East.
76.40 A brook 8 links wide - Course East.
80.00 This mile, over ridge land. Thin soil - Timber, Oak and Hickory - Dogwood and Ironwood undergrowth. Soil generally stony - ridges not steep.

South, random, on Second mile.

- 36.50 A brook 8 links wide - Course East - 4 chains Bottom.
79.00 A brook 6 links wide. Course East.
80.00 This mile, first part, ridge land, middling quality - Timber, Oak and Hickory. Last part, more hilly, and stony - Some Beech timber - Dogwood undergrowth.

South, random on Third mile.

- 40.00 Set Temporary center post.
44.50 A creek 25 links wide - Course East - Fine water.
80.00 Set Temporary mile post.
This mile, hilly land - Thin soil - Timber, Oak, Hickory, and Beech - Woods very brushy with Dogwood Oak and Hickory - Soil generally stony.

South, random, on Fourth Mile.

- 13.75 A brook 6 links wide - Course East.
25.30 A drain - Course N. E.
53.75 A Spring run - Course South.
59.00 A run - Course S. E. [Same as last noted.]
62.70 A brook 8 links wide - Course East.
80.00 Set Temporary post.
This mile, hilly - Timber, Oak, Hickory and Beech. Undergrowth, very thick, of Dogwood, Oak and Beech. Ginseng very thick this mile. Soil middling, and generally stony.

Chp. L. N.

South, random, on Fifth Mile.

13.00 A brook 12 links wide. Course N. E.

15.20 A brook - Comes from West.

79.80 Intersected South Boundary of this Township 865 links West of old section corner - Set a new post at old section corner [of Quarter Townships] from which a W. Oak 20 ins. diam., bears S 45 E, 13 links distant, and a W. Oak 18 ins. diam., bears N 28 W, 63 links distant.

This milly, and the hills descend East. Much Beech timber. Some Hickory and W. Oak - Soil middling - Pretty stony - very brushy with Dogwood, Oak, and Hickory. In the first quarter, plenty of Ginseng.

From this old section corner, I ran North on the true line, the variation being so great that I cannot mark the true line by the random.

North, on West Boundary of Section 23.

14.70 A Hickory 20 ins. diam.

27.00 A brook 6 links wide - Course East.

29.00 A Sugar 12 ins. diam.

44.34 A W. Oak 24 ins. diam.

63.50 A Spring drain - Course N. W.

70.40 A Beech 18 ins. diam.

72.50 A brook 10 links wide - Course N. E.

80.00 Set post corner of half Sections 36 and 45, from which, a W. Oak 26 ins. diam., bears N 86 E, 22 links distant, and a Beech 16 ins. diam., bears S 81 W, 10 links distant.

This mile, hilly land. Timber, Oak, Beech, Hickory, some Poplar, and Sugar - Dogwood, Oak, and Hickory, undergrowth. Soil middling - Pretty stony - Quit for the day, Sept. 21, 1803 -

Thursday, September 22, 1803.

West, on South Boundary of Section 21.

40.00 Along on North side of ridge - Middling soil - Set post corner of half Sections 41 and 42, from which a W. Oak 18 ins. diam., bears N 5 W, 18 links distant, and a W. Oak 24 ins. diam.

Ch. 269

bears S 58 W, 25 links distant.

44.10 A brook 4 links wide - course North.

72.40 A brook 6 links wide - course North.

80.00 Set post corner of Sections 21 and 22, from which a B. Oak 24 ins. diam., bears N 56 E, 37 links distant, and a Hickory 24 ins. diam., bears N 12 W, 32 links distant.

This half mile, ridge land. Pretty good soil - Timber, Oak, Hickory and Chestnut. Undergrowth, Dogwood and Spice - Soil stony - in places, rocky.

North, between Sections 21 and 22.

14.53 A Maple 24 ins. diam.

26.44 A Beech 12 ins. diam.

45.00 A creek 30 links wide - course West - On edge of bottom.

47.30 A Beech 12 ins. diam.

56.50 Across bottom.

63.20 A brook 3 links wide - course S. W.

68.10 A W. Oak 40 ins. diam.

75.30 A drain - course West.

78.00 A fine Spring - course West.

80.00 Set post on the bank of a run 6 links wide - course S. W., corner of Sections 19, 20, 21, 22, from which a Beech 10 ins. diam., bears N 17 E, 8 links distant, and a Hickory 12 ins. diam., bears S 55 W, 37 links distant.

This mile, hilly land - middling soil - Timber, Oak, Beech, and Hickory; some Maple and Sugar - Dogwood and Spice undergrowth.

West, on South Boundary of Section 22.

40.00 Over a brushy ridge - thin soil - Set post corner of half Sections 43 and 44, from which a W. Oak 18 ins. diam., bears S 50 E, 10 links distant, and a Sugar 12 ins. diam., bears S 50 1/2 W, 46 links distant.

47.00 Down ridge to bottom - Swampy.

57.00 To a small pond.

72.60 Killbuck creek, 10 links wide - course South - Gentle current.

CHA. 2A.

50.00 Set post in swampy ground, corner of Sections 22 and 23, from which a Maple 14 ins. diam. bears N 23 E, 24 links distant, and a B. hick 9 ins. diam. bears S 14 E, 15 links distant.

This half mile, the bottom generally slashy - Timber, Elm, Ash, W. Maple &c. The ridge land, thin soil.

West, on South Boundary of Section 23.

2.00 Across Killbuck Creek bottom - Rise a low hill.

23.70 A brook 5 links wide - Course S. E.

33.00 To old Section corner, which is the S. W. corner of half Section 45.

This distance from Creek bottom, good upland - Not steep - Timber, Oak, Beech, Maple, Sugar, Some Walnut - Undergrowth, Spruce.

North, between Sections 22 and 23.

4.30 A B. Walnut 14 ins. diam. Across bottom.

33.00 A W. Oak 24 ins. diam.

53.70 A Beech 20 ins. diam.

79.73 A W. Oak 20 ins. diam.

80.00 Set post corner of Sections 18, 19, 22, 23, from which a Hickory 20 ins. diam. bears N 55 E, 20 links distant, and a Beech 12 ins. diam. bears N 18 W, 33 links distant.

This mile, from the bottom, over a high flat of rich land - Timber, Oak, Hickory, Beech, some Elm, Maple and Sugar - Undergrowth, Spruce, Dogwood &c.

West, between Sections 18 and 23.

31.20 A brook 10 links wide - Course N. E.

33.97 Intersected West Boundary 20 links South of post.

The first 20 chains of this half mile, good level land - Timber, Oak and Hickory - Last part, hill land - Stony - Timber, Beech, Oak, Hickory.

East, corrected, between Sections 18 and 23.

Blazed the line to post.

Ch. 1st

- North, on West Boundary of half Section 36.
- 16.00 A brook 10 links wide - Course N. E.
- 16.41 A Beech 10 ins. diam.
- 24.94 A B. Oak 20 ins. diam.
- 40.24 A Poplar 18 ins. diam.
- 53.00 A brook 3 links wide - Course N. E.
- 58.26 A Beech 12 ins. diam.
- 60.50 A brook 6 links wide - Course N. E.
- 63.75 A brook 6 links wide - Course East.
- 76.00 A W. Oak 24 ins. diam.
- 80.00 Set post corner of half Sections 25 and 36, from which, a Beech 16 ins. diam. bears N 66 E, 33 links distant, and a Hickory 12 ins. diam. bears S 74 W, 10 links distant.
- This mile, ridge land - Good soil - Timber, Oak, Beech, Hickory and some Poplar - Spice and Dogwood undergrowth. Pretty stony -
- Quit for the day, September 22, 1803.

Friday, September 23, 1803

- West, between Sections 20 and 21.
- 7.00 A brook 6 links wide - Course South.
- 77.50 A Spring - Course N. W.
- 80.00 Intersected North and South line 20 links North of post.
- This mile, ridge - Very good grain land. Timber, Oak, Hickory, some Maple and Gum. Dogwood and much Spice, undergrowth.

- West, between Sections 19 and 22.
- 9.00 A brook 4 links wide - Course S. E.
- 29.50 Over ridge - middling land, to Swamp.
- 39.00 Across a large, very bad swamp, extending North and South, to bottom.
- 40.00 Set Temporary half Section post.
- 57.00 To Millbuck creek 150 links wide - Course S. E. from N. E. Gentle current.
- 79.30 Intersected North and South line 10 links North of post.
- This mile, the bottom between the swamp and creek,

stony. The upland, forest of oak, good, rich flat. Timber, Oak, Hickory, some Maple, Elm, Ash, and Sugar.

North, Between Sections 19 and 20.

- 10 A brook 4 links wide. Course S. W.
 5.53 A W. Oak 30 ins. diam.
 16.00 A W. Oak 40 ins. diam.
 31.20 A Maple 14 ins. diam.
 51.06 A W. Oak 20 ins. diam.
 62.50 A brook 8 links wide. Course S. W.
 80.00 Set post corner of Sections 11, 12, 19, 20, from which a Sugar 14 ins. diam. bears N 4 W, 26 links distant, and a Hickory 12 ins. diam. bears S 9 W, 32 links distant.

This mile, ridge land - Pretty good soil - Timber, Oak, Hickory, Maple, some Beech and Sugar. Spruce and Dogwood undergrowth.

North, Between Sections 11 and 12.

- 8.84 A W. Oak 18 ins. diam.
 20.00 A drain. Course East.
 33.72 A Hickory 12 ins. diam.
 40.00 Set temporary post, until I run the North Boundary of the Section.

This half mile, ridge land. Middling soil - Timber, Oak, Hickory, Beech, and some Maple. Undergrowth, Spruce and Dogwood.

- 40.34 Intersected the North Boundary of Quarter Township 4, and set post corner of Sections 11 and 12, from which a Beech 20 ins. diam. bears S 75 W, 45 links distant, and a Beech 16 ins. diam. bears S 58 E, 5 links distant. Marked per plan.

West, Between Sections 11 and 20.

- 18.00 A brook 4 links wide. Course S. W.
 40.00 Set temporary half Section post.
 48.50 A spring. Course N. W.
 53.00 A brook 6 links wide. Course S. W.

Ch. 2. 268

- 71.00 A brook 6 links wide. Course S. W.
 80.00 Intersected the North and South line 95 links South of post.
 This mile, hilly land. Timber, oak and Hickory - Under-
 growth, Dogwood. Some Maple and Beech. Soil middling for small
 grain.

East, corrected, between Sections 11 and 20.
 Blazed the line, and set post corner of half Sections 21, 22,
 39, 40, from which a Maple 14 ins. diam, bears S 88 E, 17 links
 distant, and a Maple 20 ins. diam, bears S 1 W, 34 links
 distant.

West, on random line through the center of Township, from old
 Section corner on East Boundary - on First Mile.

- 7.00 A brook 3 links wide - Course West.
 13.00 Leave the run - Course S. W.
 35.00 A brook 4 links wide - Course S. W.
 40.00 Set Temporary half Section post.
 68.20 A brook 6 links wide - Course South.
 80.20 Intersected North and South line at Temporary post.
 This mile, quite hilly. Thin soil. Timber, oak, Hickory, Beech, Ma-
 ple, and Gum - Dogwood, Beech and some Spice undergrowth.

West, random, on Second mile.

- 5.50 A brook 3 links wide - Course South.
 19.70 A brook 6 links wide - Course South.
 40.00 Set Temporary half Section post - Over ridge land to flat.
 65.50 Over good high flat to Hillbuck Creek - Course South. Gentle
 current. 200 links wide.
 80.00 Set Temporary post.
 This mile, before we come to the creek, good oak and Hickory
 timbered land - Pretty level. West of the creek, good bottom for
 meadow land. Quit for the day, September 23^d, 1803.

September 24, 1803.

East, corrected, between Sections 19 and 22.

Blazed the line, and set post corner of half Sections 37, 38, 43, 44, at average measure, from which a Beech 12 ins. diamt. bears N 78 W, 28 links distant, and a Beech 12 ins. diamt. bears N 83 E, 28 links distant.

North, between Sections 18 and 19.

- 11.25 A Sugar 18 ins. diamt.
 23.00 A brook 12 links wide - Course N. E. 4 chains bottom.
 35.90 A Sugar 12 ins. diamt.
 51.68 A W. Oak 20 ins. diamt.
 53.20 A brook 7 links wide - Course East.
 74.36 A Beech 20 ins. diamt.
 80.00 Set post corner of Sections 12, 13, 18, 19, from which a W. Oak 26 ins. diamt. bears N 64 E, 25 links distant, and a W. Oak 30 ins. diamt. bears S 47 W, 36 links distant.

This mile, some cut with gullies - Good soil - Pretty level -
 Timber, Oak, Beech, Hickory, Sugar, Maple & Undergrowth, Dog-
 wood and Spice.

West, between Sections 12 and 19.

- 27.50 A brook 4 links wide - Course S.W.
 40.00 Set Temporary half Section post.
 45.00 To bottom.
 74.00 To Millbuck Creek 200 links wide - Course S. E. Gentle current.
 79.50 Intersected North and South line 15 links north of post.

This mile, East of the bottom, good ridge land. Timber, oak, Hickory - The bottom pretty good - some swampy - Timber, Beech, Sugar, Ash, Hickory &c.

West, between half Sections 25 and 36.

- 35.60 Intersected West Boundary of this Quarter Township 10 links South of post corner of half Sections 25 and 36.

This distance, good ridge land. Timber, oak, Hickory, Beech, Maple, and some Poplar and Sugar - Dogwood & Spice, undergth.

East, blazed the line between half Sections 25 and 36, to post.

Ch^r. Lks.

- North between Sections 12 and 13.
 4. 08 On bottom - A B. Ash 18 ins. diam.
 14. 50 A brook 30 links wide - Course East - On bottom.
 40. 00 Set temporary post, until I run the North Boundary of this Quarter Township.
 This half mile, good bottom. Timber, Beech, Sugar Ash, Elm &c. Spice and Saw undergrowth.
 40. 45 Intersected North Boundary of this Quarter Township, and set post corner of Sections 12 and 13, from which a Sugar 12 ins. diam., bears N 39 W, 11 links distant, and a Beech 12 ins. diam. bears S 51 W, 39 links distant. This post stands 100 links East of temporary post on random line - Quit for the day. Sept. 24, 1803.

East, corrected, between Sections 12 and 19.

Blazed the line, and set post corner of half Sections 23, 24, 37, 38, at average measure, from which a Beech 12 ins. diam., bears S 47 W, 15 lks. distant, and an Elm 12 ins. diam. bears N 70 E, 13 lks. distant.

Sunday, September 25, 1803, Lay by in camp.

Monday, September 26, 1803.

- West, random, on this mile through the Township.
 20. 00 Across very good bottom - Timber, Walnut, Sugar, Hickory, Beech &c.
 33. 20 A brook 8 links wide - Course South.
 41. 00 Intersected North and South random line 60 links South of temporary post set on random line for the center of the Township.
 48. 00 A brook 20 links wide - Course S. E.
 53. 00 Out of brook, on same side.
 60. 00 A bend of same creek.
 80. 00 Last 30 chains, good brook bottom - appears wide - Timber, mostly Sugar, Elm and Walnut.

West, random, on fourth mile.

3. 50 A brook 18 links wide - Course S. E.
 5. 50 A brook 4 links wide - Course S. E.
 18. 00 Across bottom - Good meadow land. Rise a hill.

Ch. Lk.

- 56.00 A spring run - Course North.
 80.00 This mile, pretty level - Middling soil. Timber, W. Oak,
 B. Oak, Hickory, Logwood and Spice, undergrowth.

West, random, on Fifth Mile.

- 4.75 A brook 15 links wide - Course N. E.
 7.50 Leave the brook, coming from S. W.
 28.80 A drain - Course South.
 37.70 A drain - Course South.
 53.50 A brook 4 links wide - Course South.
 71.30 Intersected West Boundary of this Township, 170 links South
 of old Section Corner, corner of Quarter Townships
 This mile, hilly - not steep - timber, Oak, Gum, Ash,
 Hickory, Beech & Sugar. Soil middling, but some stony -
 Undergrowth thick, of Dogwood, Ironwood and Spice.

North, on West Boundary of half Section 25.

- 9.50 A drain - Course N. E.
 11.25 A Sugar 16 ins. diam.
 24.00 A Maple 18 ins. diam. - on edge of bottom.
 33.00 A brook 25 links wide - Course East. Across good bottom.
 39.60 Intersected East and West random line.
 40.45 Intersected North Boundary of this Quarter Township 430 lks.
 East of North and South random line. Set post center of the
 Township, from which a Hickory 14 ins. diam. bears S 26 E, 19 lks.
 distant, and a Hickory 14 ins. diam. bears N 10 W, 31 lks. distant.
 This mile, good upland. Timber, Oak, Hickory, Beech and
 Maple - Dogwood and Spice undergrowth.

East, connected on North Boundary of Section 13.

Placed the line by making offsets.

East, connected, on North Boundary of Section 12.

Placed the line, and set post corner of half Sections 23 and
 24 at average measure, from which a Sugar 12 ins. diam. bears
 S 7 W, 33 links distant, and a Beech 18 ins. diam. bears

Ch. 16.

S80 E. 43 links distant.

East, corrected, on North Boundary of Section 11.

Set post corner of half Sections 21 and 22 at average measure, from which a Hickory 12 ins. diam. bears N 48 E, 22 links distant, and a Hickory 12 ins. diam. bears N 26 E, 19 links distant.

This corner stands on a steep side hill, looking to the S. E.

Quit for the day, September 26, 1803.

Tuesday, September 27th 1803.

East, corrected, between Sections 20 and 21.

Set post corner of half Sections 39, 40, 41, 42, from which a W. Ash 12 ins. diam. bears N 42 E, 20 links distant, and a W. Oak 24 ins. diam. bears S 52 W, 37 links distant.

Surveyed in the year 1803, by
Ebenerer Buckingham,
Deputy Surveyor.

End of Vol. II.